



"IF IT HAS THE WEATHERBY" NAME, IT WILL HAVE THE QUALITY THAT HAS ALWAYS SET US APART."

Looking back over the last 70 years of our history, from the day my father started in business in 1945 to today, I am reminded of what a visionary Roy Weatherby was. In the early years his slogan was "Tomorrow's Rifles Today", and they truly were tomorrow's rifles. Today as then: "Nothing Shoots Flatter, Hits Harder Or Is More Accurate"." He started and built this company on innovation, performance, and quality that are as important today as they were then.

Over the last 40 years that I have been involved with the company there have been a lot of additions to the Weatherby[®] lineup. From the many models of our time tested Mark V[®] and Vanguard[®] rifles, to the endurance tested and field proven line of Semi-Auto, Pump and Over/Under shotguns,

if it has the Weatherby[®] name, it will have the quality that has always set us apart. My father wouldn't have it any other way and neither will I.

I hope this 2015 catalog celebrating our 70th Anniversary inspires your dreams as it has inspired ours.

Good shooting and God bless.

Ed Weatherby / President and CEO

"FROM THE PLAINS OF AFRICA TO LOCAL RANCHES AND FARMS, WEATHERBY" HAS INSPIRED THE DREAMS OF HUNTERS AND SHOOTERS. IT IS FOR THIS REASON WE EXIST."

One of the things I have heard my whole life is, "I've always wanted to own a Weatherby[®]." Let's face it, there is something about a Weatherby[®] that just stands out. Whether it be the hard hitting, flat shooting rifles or the endurance tested, field proven shotguns, there is a reputation that comes with our name that has stood the test of time.

As we look toward the future, we hope that our 2015 product line up once again inspires the dreams of hunters and shooters. Whether it be the re-introduction of our proven Orion[®] over/under or our brand new Element[™] inertia operated shotgun, we will continue to strive toward being "best in class" in whatever we offer. In addition to paying special attention to performance and reliability, we are determined to consistently introduce products that have a distinctively different look such as those in the WBY-X[™] line which appeal to a wide variety of hunters and shooters. However, the reason we hear "I've always wanted to own a Weatherby[®]" isn't just about the products themselves. It's about stories passed down through generations. It's about dream hunts that have been achieved. It's about shots that seemed to have never been possible. Most of all, it's about cherished memories that are in the minds of men and women around the world who hunt and shoot. Our brand has been a part of these memories. From the plains of Africa to local ranches and farms, Weatherby[®] has inspired the dreams of hunters and shooters. It is for this reason we exist. It is for this reason that I am proud to be a Weatherby.

Chase your dreams,

Adam Weatherby / Executive Vice President and COO



Overview/Performan Mark V[®] Rifles Custom Shop...... Threat Response[®] R Vanguard[®] Rifles.... Ammunition Orion® Shotguns.....

THE INSPIRATION STARTS HERE!

The Legacy of Weatherby®

Drawing on our past and Roy's vision of superior ballistic performance, Ed and Adam Weatherby continue to inspire the dreams of hunters and shooters around the world with the same innovation and pacesetting performance that has fueled this company for seven decades.

nce	4	
	10	
	18	
Rifles	22	
	24	
	40	

Element [™] Shotguns	42
SA-08™/SA-459™ Shotguns	44
PA-08 [™] /PA-459 [™] Shotguns	50
Weatherby® TV	58
Team Weatherby™	60
Accessories	62
Specifications	64



SPORTING RIFLES

ANXIOUS ANTICIPATION OF OPENING DAY.

Clear, crisp mornings warmed by the first glimmer of light. Bumps of adrenaline pulsing through your veins. These are the moments for which every Weatherby[®] sporting rifle was made.

From the original Mark V[®] to the Vanguard[®], Weatherby has been inspiring—and been part of—the dreams of hunters and shooters around the world.

And, the best dreams never end. As we enter our 70th year, today's Weatherby® is better than ever. Better selection. Better performance. Better value for your hard-earned dollar.

Ed Weatherby with his daughter, Jessica Sander. Kessler Canyon, DeBeque, CO



Perhaps more than anything else you carry in the field, a shotgun truly becomes an extension of the person pulling the trigger. Hunter and gun in perfect balance, synchronization and fit. That's what we aim for with our growing line of sporting shotguns.

Whether you prefer the tried-and-true dependability of a pump, the smooth action of an autoloader, or the classic elegance of an Over/Under, there's a Weatherby® shotgun that will instantly become your favorite shooting companion in the field.

WHEN THE SEASON CALLS, WEATHERBY ANSWERS.



The Weatherby[®] SA-08[™] Deluxe 28 gauge was awarded American Rifleman's prestigious Golden Bullseye Award for 2014 Shotoun of the Year (see page 47).

SPORTING SHOTGUNS

WBY-X

RADICALLY DIFFERENT, Yet undeniably the same.

That's how we describe the WBY-X^m lineup of rifles and shotguns.

Different in that these distinctive firearms carry a look and feel not readily associated with a "traditional" Weatherby[®]. Bolder. More aggressive. Sporting the most contemporary camo patterns and finishes from the likes of Kryptek[®], Proveil[®] and Next[®].

The same in that each is a Weatherby[®] through and through—with field proven features, unmatched performance and the rugged durability that has defined the Weatherby[®] name for 70 years.

For a rifle or shotgun that makes a statement in the field—as well as the gun rack—reach for WBY- X^{TM} .

WBY-X[™] spokesperson, Karissa Pfantz, Hamilton, MT



There' dange more i familie offer o rifles a Weath armed acquis built to precis

There's no denying today's world can be a dangerous place. And we can't think of anything more important than the ability to protect our families and our homes. With that in mind, we offer our complete lineup of Threat Response[®] rifles and shotguns.

Weatherby[®] Threat Response[®] shotguns are armed with features built for fast target acquisition and close quarter use. Rifles are built to meet the long-range performance and precise accuracy demands required of today's threat response firearms.

WE CALL IT "BUILT FOR PURPOSE." You'll call it peace of mind.

THREAT RESPONSE



NOTHING SHOOTS FLATTER, HITS HARDER OR IS MORE ACCURATE.

That slogan has been part of the Weatherby[®] promise for nearly two decades. More than words on paper, they represent the confidence and field-proven performance you need to squeeze off the shot that will result in a lifetime of memories.

Compare the performance of a Weatherby[®] Mark V[®] or Vanguard[®] rifle and ammunition to any other combination. Compare speed. Compare knockdown power. Compare out-of-the-box accuracy. Head to head, you'll find that "Nothing Shoots Flatter, Hits Harder Or Is More Accurate.[™]

CALIBER	Bullet Weight	Muzzle Velocity	Energy 100 yds	Trajectory 300 yds*	Trajectory 400 yds*
.240 Wby. Mag.	100 grain	3406 fps	2183 ft-lbs	- 8.3 in	- 19.5 in
, .	0				
6mm Rem.	100 grain	3100 fps	1811 ft-lbs	- 10.4 in	– 23.9 in
.243 Win.	100 grain	2800 fps	1501 ft-lbs	– 13.5 in	— 30.5 in
.257 Wby. Mag.	115 grain	3570 fps	2436 ft-lbs	– 7.04 in	- 16.72 in
.25-06 Rem.	115 grain	3200 fps	1963 ft-lbs	- 9.48 in	- 21.94 in
.270 Wby. Mag.	140 grain	3320 fps	3013 ft-lbs	– 8.27 in	– 19.13 in
.270 Win.	140 grain	2950 fps	2352 ft-lbs	– 11.51 in	- 26.09 in
7mm Wby. Mag.	160 grain	3250 fps	2870 ft-lbs	– 8.86 in	– 20.43 in
7mm Rem. Mag.	160 grain	3120 fps	2567 ft-lbs	– 10.43 in	- 24.10 in
.30-378 Wby. Mag.	180 grain	3360 fps	3921 ft-lbs	- 8.19 in	– 19.07 in
.300 Wby. Mag.	180 grain	3240 fps	3641 ft-lbs	- 9.06 in	– 20.92 in
.300 Rem. Ultra Mag.	180 grain	3150 fps	3443 ft-lbs	- 9.75 in	– 22.38 in
.300 WSM	180 grain	2980 fps	3067 ft-lbs	– 11.35 in	- 25.81 in
.300 Win. Mag.	180 grain	2960 fps	3023 ft-lbs	- 11.56 in	- 26.28 in
*200 Yard Zero. Specification information is from competitor-published catalogs and websites as of date of publication.					



83 Ballistic Imaging System (see at right). Weatherby® RC rifles take the meaning of "the most accurate production rifle you can buy" to a whole new level.


ENDURANCE TESTED. FIELD PROVEN."

A shotgun worthy of your trust must weather round after round of hard-hitting punishment. In the field. In the duck blind or goose pit. Under the most adverse conditions. That's why we subject our shotguns to one of the most rigorous testing program in the industry. From the first time you shoulder your gun, you'll know it's worthy of the Weatherby[®] name.

To deliver unmatched performance in the field, we put our SA-08th semi-auto shotgun and its unique dual valve system through 6,000 rounds of extensive testing. The SA-08th offers smooth, dependable cycling of a wide variety of field and waterfowl loads from 2 3th to 3th magnums.

WEATHERBY[®] RANGE CERTIFIED RIFLES.

Range Certified (RC) rifles are available in both Mark V® and Vanguard[®] models, certifying guaranteed SUB-MOA accuracy (3-shot group of .99" or less at 100 yards). Each RC rifle is performance-tested in our state-of-the-art indoor range and comes with a certified ballistic data sheet from our Oehler Research





OEHLER RESEARCH 83 BALLISTIC IMAGING SYSTEM

Mark V[®] and Vanguard[®] rifles designated as "Range Certified" have passed rigorous testing for accuracy. Each rifle comes with a printed data sheet from our Oehler Ballistic Imaging System which includes specific load/ ballistic data and a computer image of the actual 3-shot group measuring .99" or less (SUB-MOA). The sheet is signed and certified by Ed or Adam Weatherby. Each rifle also features a specially engraved floorplate with the RC logo.

RANGE CERTIFIED ENGRAVED FLOORPLATE

Each Weatherby[®] RC rifle comes with a specially engraved Range Certified floorplate, signifying the SUB-MOA accuracy guarantee.*



*(3-shot group of .99" or less at 100 yards when used with Weatherby® factory or

THE WORLD'S STRONGEST ACTION

Gamechanger. That's how the Mark V[®] was viewed when introduced by Roy Weatherby in 1958. Today, it remains firmly positioned as "the world's strongest bolt action." From the heaviest magnum loads to the most popular standard chamberings, the Mark V[®] handles each with unequaled strength and structural integrity.

r---- DIRECT STRIKER INTERVENTION SAFETY

Positively locks firing pin and bolt while rendering trigger inoperable. A smooth rolling action of thumb delivers controlled, safe release.

--- COCKING INDICATOR

An industry first! Visually indicates whether rifle is cocked or uncocked.

- FULLY ENCLOSED BOLT SLEEVE

Completely enshrouds rear of action to redirect high-pressure gases and brass particles in the event of a case rupture or pierced primer.

r- THREE RINGS OF STEEL

The cartridge casehead is surrounded by the recessed bolt face, barrel, and forged and machined steel receiver. Provides an extra measure of strength and structural integrity.



INTEGRAL RECOIL LUG One-piece forged and machined receiver features integral recoil lug for the utmost in strength and structural integrity.



FIELD OR TARGET CROWN

Mark V[®] barrels feature one of two muzzle crowns. Concentrically precise crowns protect the muzzle of the rifle and allow gases to escape uniformly, improving accuracy potential. The Mark V[®] Accumark® and Ultra Lightweight rifles feature a recessed target crown (left). The Mark V® Fibermark[®], Deluxe, Sporter, Lazermark[®] and Ultramark[™] rifles feature a radius field crown (right).

$- \rightarrow$ FACTORY-TUNED, FULLY ADJUSTABLE TRIGGER

--> MAGNUM 9-LUG OR STANDARD 6-LUG ACTION

The Mark V[®] is built to handle the pounding of powerful magnum loads. However, for those hunters who prefer non-magnum calibers, we offer the Mark V[®] standard 6-Lug action, accommodating up to .30-06 length cartridges including the .240 Wby. Mag. Utilizing the same one-piece forged receiver design, our standard 6-Lug action is dimensionally smaller and weighs 28% less than its magnum 9-Lug counterpart providing lighter overall weight without sacrificing an ounce of strength or structural integrity.







MADE IN USA

Our Mark V[®] rifles are proudly made in our Paso Robles, California facility. Our skilled craftsmen provide the exceptional quality and attention to detail you expect from such a legendary name.



54-DEGREE BOLT LIFT

The shortest in the industry (as compared to typical 90° bolt throw). Allows faster chambering on follow-up shots and greater bolt-to-scope clearance to eliminate battered knuckles.

Allows for precise adjustment of sear engagement (factory set at .008 to .014) and let-off weight (factory set at approximately 3.5 pounds). You get a clean, crisp trigger that will break preciselya key component in delivering extreme accuracy and ultimate shooter performance. (Additional sear engagement adjustments must be performed by Weatherby, Inc.)





-→ FLUTED BOLT BODY

Features three gas ports to allow high-pressure gases to escape laterally in the event of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area while eliminating binding for smooth action.







To commemorate our 70th Anniversary, we are offering an extremely limited edition Mark V[®] rifle. This unique collector's item will be as special as it is rare. Only seventy rifles will be produced, each with its own unique serial number and custom leather rifle case. Each rifle will also come with a commemorative knife, handcrafted by Ed's son Dan Weatherby (see right). Don't miss your chance to own a truly unique piece of Weatherby[®] history.

A DOT THE PARTY OF A DESCRIPTION OF A DE

HANDCRAFTED COMMEMORATIVE KNIFE

Each 70th Anniversary rifle comes with a special 70th Anniversary knife handcrafted by third generation Dan Weatherby. The handle of the knife is made of reclaimed Mark V® stocks in exhibition grade walnut, maplewood and rosewood, and finished with nickel silver bolsters and pins. The mirror polished knife blade is flat ground from 440C stainless steel with a Rockwell hardness factor of 58-59.





limited edition series

and maple hardwoods

24" #1 contour barrel

Dan Weatherby

Bottom metal features

Exhibition grade California claro

walnut stock with high gloss finish features double forend tip

and grip cap spacers in ebony

► Pachmayr[®] waffle-style recoil pad

► High gloss finish on all metalwork

knife and sheath, handcrafted by

70th Anniversary logo in gold

Comes with custom leather case

Comes with commemorative





ENGRAVED FLOORPLATE

The floorplate of the Mark V[®] 70th Anniversary rifle will feature the 70th Anniversary logo etched in gold.



THESE MARK V[®] RIFLES feature a hand-laminated raised comb Monte Carlo composite stock (combination of Aramid, graphite unidirectional fibers and fiberglass) with matte gel coat finish, factory-tuned, fully adjustable trigger[†], Pachmayr[®] Decelerator[®] pad, and swivel studs.

MARK V° ACCUMARK°

MSRP \$2,100* | MSRP \$2,400-w/Accubrake"** | LH MODELS ADD \$100

į		AVAILABL	.E	CALIBERS
i	.240 Wby. Mag.	AMS240WR40	I	.30-06 Sprg.
I	.257 Wby. Mag.	AMM257WR60	Н	.300 Win. Mag.
	.270 Win.	AMS270NR40	il	.300 Wby. Mag.
i	.270 Wby. Mag.	AMM270WR60	Ц	.30-378 Wby. M
I.	7mm Rem. Mag.	AMM7MMRR60	!	.338 Lapua Mag
	7mm Wby. Mag.	AMM7MMWR60	Н	.338-378 Wby. N
÷	.308 Win.	AMS308NR40	i	.340 Wby. Mag.

MARK V[®]ACCUMARK[®]

I	.30-06 Sprg.	AMS306SR40
1	.300 Win. Mag.	AMM300NR60
i	.300 Wby. Mag.	AMM300WR60
L	.30-378 Wby. Mag.	AMM303WR8B**
ļ	.338 Lapua Mag.	AMM338LR8B***
H	.338-378 Wby. Mag	. AMM333WR8B**
i	.340 Wby. Mag.	AMM340WR60
1		
i	LEFT-HAND A	CTION

.257 Wby. Mag. AMM257WL60 .300 Wby. Mag. AMM300WL60 .30-378 Wby. Mag. AMM303WL8B**

- CNC-machined aluminum bedding plate stiffens the receiver area, providing a stable and rigid platform for the barreled action
- ► Free-floated, #3 contour, fluted stainless steel barrel**
- Recessed target crown
- Black stock with gray spiderweb accents

MARK V[®] ACCUMARK® RC MSRP \$2.400*

MSRP \$2,700-w/Accubrake***

AVAILABLE	CALIBERS
.240 Wby. Mag.	ARS240WR40
.257 Wby. Mag.	ARM257WR60
.270 Win.	ARS270NR40
.270 Wby. Mag.	ARM270WR60
7mm Rem. Mag.	ARM7MMRR60
7mm Wby. Mag.	ARM7MMWR60
.308 Win.	ARS308NR40
.30-06 Sprg.	ARS306SR40
.300 Win. Mag.	ARM300NR60
.300 Wby. Mag.	ARM300WR60
.30-378 Wby. Mag.	ARM303WR8B*
.338 Lapua Mag.	ARM338LR8B***
.338-378 Wby. Mag	. ARM333WR8B*
.340 Wby. Mag.	ARM340WR60

- ► Range Certified with guaranteed SUB-MOA accuracy
- ► Comes with printout from Oehler Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- Gray stock with black spiderweb accents



MSRP \$1,800-w/Accubrake"** -----AVAILABLE CALIBERS .240 Wby. Mag. .257 Wby. Mag. .270 Win. .270 Wby. Mag. 7mm Rem. Mag.

MARK V° FIBERMARK

MSRP \$1.500*

7mm Wby. Mag. .308 Win. .30-06 Sprg. .300 Win. Mag. .300 Wby. Mag. .30-378 Wby. Mag. FGM303WR8B**

.338-378 Wby. Mag. FGM333WR8B** .340 Wby. Mag. FGM340WR60

Aluminum pillar-bedded

- ► #2 contour matte blue chrome-moly steel barrel
- Field crown
- Light gray stock with black spiderweb accents



ONE OF THE LIGHTEST PRODUCTION **RIFLES ON THE** MARKET

To trim every available ounce of weight, our Ultra Lightweight includes weight-saving features such as a chrome-moly receiver, polymer follower and alloy bottom metal. Ideal for long treks or backcountry hunts.



ALUMINUM BEDDING

To assure consistent accuracy, a CNC-machined aluminum bedding plate stiffens the receiver area, providing a stable and rigid platform for securing the barreled action to the stock (Accumark[®] and Ultra Lightweight and RC models).



MARK L ULTRA LIGHTWEIGHT MSRP \$2.100*

MSRP \$2,300-w/Accubrake"** LH MODELS ADD \$100

AVAILABLE	CALIBERS	
.240 Wby. Mag.	UTS240WR40	
.257 Wby. Mag.	UTM257WR60	
.270 Win.	UTS270NR20	
.270 Wby. Mag.	UTM270WR60	
7mm Rem. Mag.	UTM7MMRR40	
7mm Wby. Mag.	UTM7MMWR60	
.308 Win.	UTS308NR20	
.30-06 Sprg.	UTS306SR20	
.300 Win. Mag.	UTM300NR40	
.300 Wby. Mag.	UTM300WR8B**	
LEFT-HAND ACTION		

.257 Wby. Mag. UTM257WL60 .300 Wby. Mag. UTM300WL8B**

- ▶ 6-Lug action weighs 5 ¾ pounds; 9-Lug magnum weighs 6 ¾ pounds
- CNC-machined aluminum bedding plate stiffens the receiver area, providing a stable and rigid platform for the barreled action
- ► Stainless steel, fluted barrel (blackened to reduce glare)
- Recessed target crown
- Tan stock with black spiderweb accents

MARK V° ULTRA LIGHTWEIGHT RC

MSRP \$2,700-w/Accubrake"**

AVAILABLE	CALIBERS
.240 Wby. Mag.	URS240WR40
.257 Wby. Mag.	URM257WR60
.270 Win.	URS270NR20
.270 Wby. Mag.	URM270WR60
7mm Rem. Mag.	URM7MMRR40
7mm Wby. Mag.	URM7MMWR60
.308 Win.	URS308NR20
.30-06 Sprg.	URS306SR20
.300 Win. Mag.	URM300NR40
.300 Wby. Mag.	URM300WR8B**

- Range Certified with guaranteed SUB-MOA accuracy
- ► Comes with printout from Oehler Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- Recessed target crown
- Brown stock with black spiderweb accents

FGS240WR40

FGM257WR60 FGS270NR40 FGM270WR60 FGM7MMRR40 FGM7MMWR60 FGS308NR40 FGS306SR40 FGM300NR40 FGM300WR60 .375 H&H Mag. FGM375HR40

*Additional calibers are available through the Weatherby® Custom Shop. Prices may vary by caliber. **Comes with Accubrake". ***.338 Lapua Mag. comes with chrome-moly blued barrel. † Sear engagement adjustments must be performed by Weatherby[®], Inc. Only Range Certified (RC) models come with Oehler data sheet.

MSRP \$2,400*

i	.240 Wby. Mag.	URS240WR40
i	.257 Wby. Mag.	URM257WR60
L	.270 Win.	URS270NR20
!	.270 Wby. Mag.	URM270WR60
÷	7mm Rem. Mag.	URM7MMRR4C
i	7mm Wby. Mag.	URM7MMWR6
L	.308 Win.	URS308NR20
	.30-06 Sprg.	URS306SR20
÷	.300 Win. Mag.	URM300NR40
i	.300 Wby. Mag.	URM300WR8B*

MARK V[®]ULTRAMARK[™]

THESE MARK V[®] RIFLES feature a raised comb Monte Carlo stock, factory-tuned, fully adjustable trigger[†], Pachmayr[®] Decelerator[®] pad, swivel studs, and field crown.

Conner Weatherby (son of Adam Weatherby) keeping the legacy alive in Texas.



MARK V° ULTRAMARK[®]

AVAILABLE CALIBERS

.257 Wby. Mag. UMM257WR60

.300 Wby. Mag. UMM300WR60

► Hand-selected "AAA" fancy exhibition

Blued metalwork in high lustre finish

grade Claro walnut stock

forend and grip cap with

▶ #2 contour barrel

► 20 LPI checkering, rosewood

maplewood/ebony spacers

MSRP \$3,200*

MSRP \$2,800 (.378 Wby.*' Mag./.416 Wby. Mag.) MSRP \$3,300 (.460 Wby. Mag.)**

1.1		
i	AVAILABLE	CALIBERS
i	.240 Wby. Mag.	DXS240WR40
İ	.257 Wby. Mag.	DXM257WR60
ļ	.270 Win.	DXS270NR40
ł	.270 Wby. Mag.	DXM270WR60
i	7mm Wby. Mag.	DXM7MMWR60
L	.308 Win.	DXS308NR40
ļ	.30-06 Sprg.	DXS306SR40
ł	.300 Wby. Mag.	DXM300WR60
i.	.340 Wby. Mag.	DXM340WR60
l	.378 Wby. Mag.	DXM378WR8B**
ł	.416 Wby. Mag.	DXM416WR8B**
i	.460 Wby. Mag.	DXM460WR8B**

- "AA" fancy grade Claro walnut Monte Carlo stock (French walnut on .460 WBY models)
- ► Fineline checkering, rosewood forend and grip cap with maplewood spacers
- Blued metalwork in high lustre finish
- ► Accubrake[™] comes standard on .378, .416 and .460 WBY

MARK V° DELUXE MSRP \$2,400*

_____ AVAILABLE CALIBERS .257 Wby. Mag.

MARK V[®]LAZERMARK[®]

MSRP \$2,600*

LMM257WR60

LMM270WR60

LMM7MMWR60

LMM300WR60

LMM340WR60

- .270 Wby. Mag. 7mm Wby. Mag.
- .300 Wby. Mag.
- .340 Wby. Mag.
- ► Raised comb Monte Carlo Claro walnut stock with laser-carved oak leaf pattern
- Rosewood forend and grip cap with maplewood spacers
- Blued metalwork in high lustre finish
- #2 contour barrel



PERSONALIZATION

Personalize your existing Weatherby® rifle or create the rifle of your dreams by choosing from a variety of floorplate embellishments, as well as engraving your name on the bolt. Bolts and followers can also be damascened/jeweled to add a distinct and elegant look to the rifle. Custom engraved rings and bases are available in various grades, patterns, and gold overlay options. Visit the Weatherby[®] Custom Shop at Weatherby.com for more information.



NOTHING OR IS MORE ACCURATE

MARK V° SPORTER

MSRP \$1,600*

AVAILABLE	CALIBERS
.257 Wby. Mag.	SPM257WR60
.270 Wby. Mag.	SPM270WR60
7mm Rem. Mag.	SPM7MMRR40
7mm Wby. Mag.	SPM7MMWR60
.300 Win. Mag.	SPM300NR40
.300 Wby. Mag.	SPM300WR60
.340 Wby. Mag.	SPM340WR60

- Raised comb Monte Carlo Claro walnut stock with gloss finish
- Fineline diamond point checkering and rosewood forend and grip cap
- Metalwork is bead blasted matte blue
- #2 contour barrel

MARK V° EUROMARK

MSRP \$2,400*

AVAILABLE	CALIBERS
.257 Wby. Mag.	EMM257WR60
.270 Wby. Mag.	EMM270WR60
7mm Rem. Mag.	EMM7MMRR40
7mm Wby. Mag.	EMM7MMWR60
.300 Win. Mag.	EMM300NR40
.300 Wby. Mag.	EMM300WR60
.340 Wby. Mag.	EMM340WR60
.375 H&H Mag.	EMM375HR40

- Hand-rubbed, oil finished Monte Carlo Turkish walnut stock with custom-grade diamond point checkering
- Ebony forend and grip cap
- Metalwork is bead blasted matte blue

*Additional calibers are available through the Weatherby® Custom Shop. Prices may vary by caliber. **Comes with Accubrake[™]. ****.338 Lapua Mag. comes with chrome-moly blued barrel. † Sear engagement adjustments must be performed by Weatherby? Inc. Only Range Certified (RC) models come with Oehler data sheet.



trigger[†], Pachmayr[®] Decelerator[®] pad, and swivel studs. Accubrake[™] comes standard on specific models and available for purchase on all Weatherby[®] rifles through our Custom Shop.

Actor and author Jameson Parker hunting with Sonora Trophy Hunts.



į	AVAILABLE	CALIBERS
i	.240 Wby. Mag.	OFS240WR40
İ.	.257 Wby. Mag.	OFM257WR6
Į.	.270 Win.	OFS270NR20
ł	.270 Wby. Mag.	OFM270WR6
i.	7mm Wby. Mag.	OFM7MMWR
Ļ	.308 Win.	OFS308NR20
ł	.30-06 Sprg.	OFS306SR20
i	.300 Wby. Mag.	OFM300WR8

- ▶ Weighs in at just 5 ½ pounds (6 lug models) and 6 ¾ pounds (9 lug models)
- ► Range Certified with guaranteed SUB-MOA accuracy
- ► Comes with printout from Oehler Ballistic Imaging System, including specific load/ ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- ► Hand-laminated, raised comb, Monte Carlo carbon fiber stock with matte gel coat finish and CNC-machined aluminum bedding plate
- ► High Desert camo stock
- ▶ "Armor Black" Cerakote[®] finish on all metalwork
- ► Stainless, fluted barrel with recessed target crown
- Other calibers offered through Weatherby Custom Shop

AVAILABLE C
.240 Wby. Mag.
.257 Wby. Mag.
.270 Win.
.270 Wby. Mag.
7mm Rem. Mag.
7mm Wby. Mag.
.308 Win.
.30-06 Sprg.
.300 Win. Mag.
300 Why Mag

- .300 Wby. Mag.
- .338 Lapua Mag. ADM338LR8B***
- .338-378 Wby. Mag. ADM333WR8B**
- ► Range Certified with guaranteed SUB-MOA accuracy
- ► Comes with printout from Oehler Ballistic Imaging System, including specific load/ ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- Hand-laminated, raised comb Monte Carlo composite stock with matte gel coat finish in High Desert Camo
- Metalwork is accented Flat Dark Earth Cerakote[®] finish
- Button-rifled, #3 contour free-floated, fluted stainless barrel with recessed target crown



MSRP starting at \$2,800* MSRP \$3,000-w/Accubrake"**

SUÐ-MOA

ALIBERS ADS240WR40 ADM257WR60 ADS270NR40 ADM270WR60 ADM7MMRR60 ADM7MMWR60 ADS308NR40 ADS306SR40 ADM300NR60

ADM300WR60 .30-378 Wby. Mag. ADM303WR8B** .340 Wby. Mag. ADM340WR60

MARK V°DGR (Dangerous game rifle)

MSRP starting at \$3,400* MSRP starting at \$3,600-w/Accubrake***

1		
i	AVAILABLE	CALIBERS
÷	.300 Wby. Mag.	DGM300WR40
i	.340 Wby. Mag.	DGM340WR40
I.	.375 H&H Mag.	DGM375HR40
	.375 Wby. Mag.	DGM375WR40
÷	.378 Wby. Mag.	DGM378WR6B**
i.	.416 Rem. Mag.	DGM416RR40
Ì.	.416 Wby. Mag.	DGM416WR6B**
I	.458 Win. Mag.	DGM458NR40
÷	.458 Lott	DGM458LR40
÷	.460 Wby. Mag.	DGM460WR6B**

- ► Hand-laminated, raised comb Monte Carlo stock (tan with black spiderweb accents)
- ► 24" button-rifled chrome-moly barrel
- Adjustable "express" ramp rear sight, hooded barrel band front sight
- Features drop box magazine with 4+1 cartridge capacity (3+1 capacity on .378 Wby. Mag., .416 Wby. Mag. and .460 Wby. Mag.)
- Recessed target crown





*Additional calibers are available through the Weatherby® Custom Shop. Prices may vary by caliber. **Comes with Accubrake[™]. ***.338 Lapua Mag. comes with chrome-moly blued barrel and is fully Cerekoted. † Sear engagement adjustments must be performed by Weatherby? Inc. Only Range Certified (RC) models come with Oehler data sheet.

The Party is the

AVAILABLE .240 Wbv. Mag.

.257 Wby. Mag.

.270 Win. .270 Wby. Mag.

7mm Rem. Mag

7mm Wby. Mag. .308 Win.

.30-06 Sprg.

.300 Win. Mag.

.300 Wby. Mag.

.30-378 Wby. Mag. .338 Lapua Mag.

.338-378 Wby. Mag. .340 Wby. Mag.

- ► Range Certified with guaranteed SUB-MOA accuracy
- ► Comes with printout from Oehler Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- ► Hand-laminated, raised comb. Monte Carlo composite stock with features KUIU® Vias camo
- Metalwork features two-tone Cerakote[™] finish with Desert Sand and Flat Dark Earth added flutes

WE OFTEN HEAR OUR CUSTOMERS SAY, "I'VE ALWAYS WANTED A WEATHERBY."

WEATHERBY® ACCUBRAKE[™]

All Weatherby[®] rifles are available with our Accubrake[™] option (standard on .30-378, .338 Lapua, .338-378, .378, .416 and .460 models). By adding an Accubrake[™] you will significantly reduce felt recoil...up to 53 percent. That's nearly 10 percent more effective than our nearest competitor. Available for four different barrel diameters, with checkered thread protector, for a near perfect brake-to-barrel contour match. Because the crown is at the end of the barrel and not the brake, the lands are protected. Our Accubrakes are designed so that the bullet passes through the brake without contact, maintaining accuracy and velocity while reducing felt recoil and muzzle jump. Constructed of heat-treated steel alloy or 416 Series stainless steel and available in high polish or matte blue finish or matte stainless steel.

For maximum performance and safety, an Accubrake[™] should only be installed by Weatherby, Inc.



MARK V° ARROYO "RC

	Bullet Type	Rifle Weight	Recoil Energy	Recoil Energy w/ Accubrake™	Estimated Felt Recoil Comparisor
.240 Wby.	100 gr. SP	8 lbs.	17.9 ftlbs.	8.4 ftlbs.	.22-250 Rem.
.257 Wby.	100 gr. SP	9¼ lbs.	22.5 ftlbs.	10.6 ftlbs.	.243 Win.
.270 Wby.	130 gr. SP	9¼ lbs.	25.2 ftlbs.	11.8 ftlbs.	7mm-08 Rem.
7mm Wby.	154 gr. SP	9¼ lbs.	27.6 ftlbs.	13 ftlbs.	.25-06 Rem.
.300 Wby.	180 gr. SP	9¼ lbs.	39.2 ftlbs.	18.4 ftlbs.	.30-06 Sprg.
.340 Wby.	250 gr. SP	10 lbs.	44.2 ftlbs.	20.8 ftIbs.	7mm Rem.
.30-378 Wby.	180 gr. BX1	9¾ lbs.	55.1 ftIbs.	25.9 ftlbs.	.270 Wby.
.338-378 Wby.	225 gr. BX1	11¾ lbs.	46.3 ftlbs.	21.8 ftlbs.	.300 Win. Mag.
.375 Wby.	300 gr. NP ²	10 lbs.	46.1 ftlbs.	21.7 ftlbs.	7mm Rem.
.378 Wby.	270 gr. SP	10¼ lbs.	71.1 ftlbs.	33.4 ftlbs.	.300 Wby.
.416 Wby.	400 gr. Rn-Ex	10¼ lbs.	83.5 ftlbs.	39.2 ftlbs.	.375 H&H
.460 Wby.	500 gr. RNSP	11¼ lbs.	99.6 ftlbs.	46.8 ftlbs.	.375 Wby.
					¹ Barnes-X ² Nosler [®] Partitio

F	ħ	F	ŵ	
P.				
100		1		
DEADU	FRUAT		FFOTU	

RECOIL REDUCTION EFFECTIVENESS

	вгаке Туре	Reduction
.416 Wby.	Weatherby Accubrake	53%
.416 Wby.	KDF Regular	49%
.416 Wby.	KDF Slimline	40.6%
.416 Wby.	Recoil Reducer	39%
.416 Wby.	None	0%

ACCUBRAKE	™ PERFOR	IMANC

THESE MARK V[®] RIFLES feature a factory-tuned, fully adjustable

trigger[†], Pachmayr[®] Decelerator[®] pad, and swivel studs. Accubrake[™]

comes standard on specific models and available for purchase on all

Imagine upping the ante and designing a Weatherby[®] rifle that is uniquely your very

fill or laser etching. Personalize your bolt or floorplate. Fine tune your trigger or add

a custom cut-rifled, match grade barrel. From pre-packaged custom rifles to a full

and they are all yours. For more information on Weatherby Custom Shop options,

own. Our Custom Shop can make it happen. Upgrade your stock. Add engraving, gold

complement of "Can you do this?" embellishments and options, the choices are many

Weatherby[®] rifles through our Custom Shop.

go to www.weatherby.com or call us at 800-227-2016.

00,00



MSRP \$3,000-w/Accubrake"**

СА	LIBERS
А	YS240WR40
A	YM257WR60
А	YS270NR40
А	YM270WR60
А	YM7MMRR60
А	YM7MMWR60
А	YS308NR40
А	YS306SR40
A	YM300NR60
А	YM300WR60
А	YM303WR8B**
А	YM338LR8B***
A	YM333WR8B**
А	YM340WR60

CNC-machined aluminum bedding plate

MARK	/®	ROY	/AL
ULI	RA	MA	RK™

MSRP \$5.600*

AVAILABLE	CALIBERS
.257 Wby. Mag.	RUM257WR60
.270 Wby. Mag.	RUM270WR60
7mm Wby. Mag.	RUM7MMWR60
.300 Wby. Mag.	RUM300WR60
.340 Wby. Mag.	RUM340WR60

- ► Laser-checkered, hand-selected exhibition grade walnut stock
- ► Damascened bolt and follower with checkered knob
- ► Grade 3 engraved bolt sleeve and receiver with gold accents on the barrel and muzzle
- ► Floorplate with your initials, scroll pattern or your choice of animal (deer, elk, moose, bear or sheep), enhanced with selective 24K gold and Italian nickel plating
- ► 26"#2 contour barrel

MARK V° SAFARI

MSRP starting at \$6,700* MSRP starting at \$7,000-w/Accubrake"**

AVAILABLE	CALIBERS
.257 Wby. Mag.	SFM257WR60
.270 Wby. Mag.	SFM270WR60
7mm Wby. Mag.	SFM7MMWR60
.300 Wby. Mag.	SFM300WR60
.340 Wby. Mag.	SFM340WR60
.375 H&H Mag.	SFM375HR40
.375 Wby. Mag.	SFM375WR40
.378 Wby. Mag.	SFM378WR8B**
.416 Rem. Mag.	SFM416RR40
.416 Wby. Mag.	SFM416WR8B**
.458 Lott	SFM458LR40
.458 Win. Mag.	SFM458NR40
.460 Wby. Mag.	SFM460WR8B**

- "AAA" fancy French walnut Monte Carlo stock with satin oil finish
- Features ebony forend and pistol grip cap with hand-cut Fleur-de-lis checkering
- Damascened bolt and follower with engraved steel floorplate "Safari Custom"
- ► Adjustable "express" ramp rear sight, hooded barrel band front sight
- Optional drop box magazine available
- ► Available in left-hand configuration

CUSTOM STOCKS

Customize your Weatherby® rifle with a raised comb. Monte Carlo synthetic stock (aramid, graphite unidirectional fibers and fiberglass) in a variety of color/pattern options. Contact the Weatherby® Custom Shop.



ENGRAVING

Our Custom Shop offers a variety of engraving options, including this Grade 3 gold border Italian nickel Victorian floral inlay.



*Additional calibers are available through the Weatherby® Custom Shop. Prices may vary by caliber. **Comes with Accubrake[™] ***.338 Lapua Mag. comes with chrome-moly blued barrel. t Sear engagement adjustments must be performed by Weatherby®, Inc. Only Range Certified (RC) models come with Oehler data sheet.



THESE MARK V[®] THREAT RESPONSE[®] RIFLES feature a hand-tuned, fully adjustable trigger[†], hand-laminated stock with CNC 6061 T-6 aluminum bedding system, 3-position buttstock—adjustable for LOP, drop at heel and cant of the pad, #6 stock slide for bipod attachment, recessed target crown, and swivel studs.



MUZZLE BRAKE

Constructed of AI51 1020 stress-proof steel, the muzzle brake features high discharge ports with 90° lateral gas dispersion to eliminate dust blow-up. Reduces felt recoil up to 48 percent.



BOLT KNOB

The D.D. Ross-designed tactical-style bolt knob provides additional length and weight to improve grasp and cycling. Matte finish blued steel for added durability.



INTEGRATED FOREARM ACCESSORY RAIL

The Mark V[®] TRR RC features an integrated forearm accessory rail. The channel-style rail allows for securing a bipod, handrest or other accessory to your rifle. (Shown with Harris Bipod, not included.)

TRR RC (RANGE CERTIFIED)

- -----
- .300 Win. Mag.
- .300 Wby. Mag.
- .30-378 Wby. Mag. TRSM303WR8B**

- Range Certified with guaranteed SUB-MOA accuracy
- ballistic data and computer image of by Ed or Adam Weatherby.
- ► 26" Krieger Custom, match grade, cut-rifled, free-floated #3 contour barrel
- Hand-honed action to assure 100% lug contact with the receiver
- Drop box magazine "plus one" capacity
- High Desert Camo with black spiderweb accents



MSRP \$4,200*

AVAILABLE CALIBERS TRSM300NR8B**

2

TRSM300WR8B** .338 Lapua Mag. TRSM338LR8B*** .338-378 Wby. Mag. TRSM333WR8B**

► Comes with printout from Oehler Ballistic Imaging System, including specific load/ actual 3-shot group. Signed and certified



MSRP \$2,800 .300 Win. Mag., .300 Wby. MSRP \$3,000-w/Accubrake"**

1				
ļ	AVAILABLE CALIBERS			
i	.300 Win. Mag.	TCM300NR60		
İ.	.300 Wby. Mag.	TCM300WR60		
Ļ	.30-378 Wby. Mag.	TCM303WR8B**		
ł	.338 Lapua Mag.	TCM338LR8B***		
i.	.338-378 Wby. Mag.	TCM333WR8B**		

► Free-floated, fluted barrel

Equipped with recoil-reducing Accubrake™





*Additional calibers are available through the Weatherby® Custom Shop. Prices may vary by caliber. **Comes with Accubrake[™] ****.338 Lapua Mag. comes with chrome-moly blued barrel. †Sear engagement adjustments must be performed by Weatherby®, Inc. Only Range Certified (RC) models come with Oehler data sheet.

EXCEPTIONAL PERFORMANCE IS STANDARD.

F----- FULLY ENCLOSED BOLT SLEEVE

Redirects high-pressure gases and brass particles in the event of a case rupture or pierced primer. Shorter bolt sleeve helps to reduce overall weight.

FLUTED BOLT BODY

Three gas ports allow high-pressure gases to escape laterally in the event --of an accidental case rupture. Longitudinal flutes reduce weight and bearing surface area, while eliminating binding for smooth action.

How do you build a rifle that stands out from the crowd? Start with guaranteed SUB-MOA accuracy. Add in a match quality, two-stage trigger that breaks crisp and clean. Offer magnum and standard calibers in a choice of traditional wood, composite or exciting WBY-X[™] camo stock designs. And do it all for less than you'd ever expect. That's the Weatherby® Vanguard®...the best rifle value on the market today.



VANGUARD® RECOIL PAD

All Vanguard[®] rifles feature a specially-fit, low density recoil pad. This technologically superior material significantly reduces felt recoil.

INTEGRAL RECOIL LUG

One-piece machined receiver features integral recoil lug for the utmost in strength and structural integrity.

50

select Vanguard[®] rifles).



3-POSITION -SAFETY

Middle position allows shooter to safely load and unload rifle.

THREE RINGS OF STEEL ----

The cartridge casehead is surrounded by the recessed bolt face, which is surrounded by the barrel, which is surrounded by the machined steel receiver. Provides an extra measure of strength and structural integrity.

--- HINGED FLOORPLATE


One-piece trigger guard with hinged floorplate provides easy access to unfired cartridges in the magazine.





GUARANTEED SUB-MOA ACCURACY

All Weatherby® Vanguard® rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) when used with Weatherby® factory or premium ammunition.



See Weatherby[®] products in action at WBY-TV.com

-→ COLD HAMMER FORGED BARREL

Maximizes velocity and produces SUB-MOA Guaranteed Accuracy when used with premium (non-Weatherby® calibers) or Weatherby® factory ammunition. 20", 22" and 24" barrels available.

Provides lightweight and durable performance year after year. Combines modern synthetic materials with the legendary Weatherby® raised comb Monte Carlo design. Our special pistol and forend inserts provide a firm, non-slip grip, while a right side palm swell aids in control and shooter comfort (available on

> Upgrade your pre-2011 Vanguard® rifle with a new Monte Carlo Griptonite® composite stock and drop in two-stage trigger.



-->MATCH QUALITY, TWO-STAGE TRIGGER

"Creep free" for consistent let-off. Each trigger is hand-honed, factory-tuned and inspected for a clean, crisp break, improving shooter accuracy. Trigger housing is constructed of lightweight alloy and is fully adjustable down to 2.5 lbs.





VANGUARD° SYNTHETIC .375 H&H NEW FOR 2015



ALL VANGUARD[®] RIFLES feature a SUB-MOA accuracy guarantee, 3-position safety, match-quality, two-stage trigger, and swivel studs.

To see Weatherby[®] products in action, go to WBY-TV.com



VANGUARD	
SYNTHETIC	

MSRP \$649 MSRP \$799-(.375 H&H Mag.)

AVAILABLE	CALIBERS	
.223 Rem.	VGT223RR40	
.22-250 Rem.	VGT222RR40	
.243 Win.	VGT243NR40	
.240 Wby. Mag.	VGT240WR40	
.25-06 Rem.	VGT256RR40	
.257 Wby. Mag.	VGT257WR40	
6.5 Creedmoor	VGT65CMR40	
.270 Win.	VGT270NR40	
7mm-08 Rem.	VGT7M8RR40	
7mm Rem. Mag.	VGT7MMRR40	
.308 Win.	VGT308NR40	
.30-06 Sprg.	VGT306SR40	
.300 Win. Mag.	VGT300NR40	
.300 Wby. Mag.	VGT300WR40	
.375 H&H Mag.	VGT375HR40S	NEW

- ► Monte Carlo Griptonite[®] stock features pistol grip and forend inserts, and right side palm swell (aids shooter comfort and control)
- ▶ New for 2015! .375 H&H Mag. features adjustable iron sights with hooded front sight

Butch Whiting, CEO and Co-Founder of Kryptek.

SYNTHETIC PACKAGE

AVAILABLE CALIBERS .223 Rem. .22-250 Rem. .243 Win. .240 Wby. Mag. .25-06 Rem. .257 Wby. Mag. .270 Win. 7mm-08 Rem. 7mm Rem. Mag. VPG7MMRR40 .308 Win. .30-06 Sprg.

Vanguard[®] Synthetic rifle

- ► 3-9x42mm Redfield[®] Revenge[™] riflescope with matte finish and 4-plex reticle (mounted and boresighted)
- ► Talley-designed Weatherby® Vanguard[®] mounts
- Adjustable nylon sling
- Injection-molded scoped rifle case

26-27



PALM SWELL

Select Vanguard[®] models feature a specially-designed, Monte Carlo Griptonite[®] stock with pistol grip and forend inserts, and a right side palm swell. The special synthetic material provides a sure, non-slip grip to aid the accuracy potential of the rifle.



ONE-PIECE MACHINED BOLT BODY

Provides maximum strength and structural integrity. The massive M-16-style extractor ensures reliable and positive extraction.

NOTHING INTERATE OF IS MORE ACCURATE

VANGUARD® MSRP \$999

VPG223RR40 VPG222RR40 VPG243NR40 VPG240WR40 VPG256RR40 VPG257WR40 VPG270NR40 VPG7M8RR40 VPG308NR40 VPG306SR40 .300 Win. Mag. VPG300NR40 .300 Wby. Mag. VPG300WR40

VANGUARD® **STAINLESS SYNTHETIC** MSRP \$799

AVAILABLE	CALIBERS
.223 Rem.	VGS223RR40
.243 Win.	VGS243NR40
.257 Wby. Mag.	VGS257WR40
.270 Win.	VGS270NR40
7mm Rem. Mag.	VGS7MMRR40
.308 Win.	VGS308NR40
.30-06 Sprg.	VGS306SR40
.300 Win. Mag.	VGS300NR40
.300 Wby. Mag.	VGS300WR40
	.243 Win. .257 Wby. Mag. .270 Win. 7mm Rem. Mag. .308 Win. .30-06 Sprg. .300 Win. Mag.

- ► Monte Carlo Griptonite[®] stock features pistol grip and forend inserts, and right side palm swell (aids shooter comfort and control)
- ► 400 Series stainless steel, bead blasted matte finish

VANGUARD® CARBINE

MSRP \$649

AVAILABLE CALIBERS			
.223 Rem.	VCT223RR00		
.22-250 Rem.	VCT222RR00		
.243 Win.	VCT243NR00		
7mm-08 Rem.	VCT7M8RR00		
.308 Win.	VCT308NR00		

- ► Monte Carlo Griptonite[®] stock features pistol grip and forend inserts, and right side palm swell (aids shooter comfort and control)
- ▶ 20" #1 contour barrel
- Weighs just 7 pounds

ALL VANGUARD[®] RIFLES feature a SUB-MOA Accuracy Guarantee, 3-position safety, match-quality, two-stage trigger, and swivel studs.

VANGUARD[®] BACK COUNTRY

SIF

Todd Harney of Kuiu Lightweight Hunting



See Weatherby® products in action at WBY-TV.com

VANGUARD® BACK COUNTRY

					Ν	ЛS	RF	c ç	31,	42	9
_	_	_	_	_	_	_	_	_	_	_	_

	AVAILABLE	CALIBERS
IEW	.240 Wby. Mag.	VBK240WR40
	.257 Wby. Mag.	VBK257WR40
	.270 Win.	VBK270NR40
	.308 Win.	VBK308NR40
	.30-06 Sprg.	VBK306SR40
	.300 Win. Mag.	VBK300NR40
	.300 Wby. Mag.	VBK300WR40

- Hand-laminated, raised comb, Monte Carlo carbon fiber composite stock with aluminum bedding plate, matte gel coat (charcoal) finish and spiderweb accents (light gray)
- ► Weight-saving fluted 24" cold hammer forged barrel
- Chrome-moly metalwork with Cerakote® Tactical Grey finish for exceptional weather- and corrosion-resistance
- ► Weighs just 6 ¾ pounds ideal for long treks on backcountry hunts (.308 Win. weighs 6 ½ pounds)
- Pachmayr[®] Decelerator[®] pad

AVAILABLE CALIBERS

- .25-06 Rem. .270 Win.
- .30-06 Sprg.
- ► Monte Carlo Griptonite[®] stock features pistol grip and forend inserts, and right side palm swell (aids shooter comfort and control)
- Detachable box magazine is easily extracted at the push of a button
- ► Reduces weight by ¼ pound (as compared to Vanguard® Series 2 Synthetic)
- Matte bead blasted blued finish
- ► 24" #2 contour cold hammer forged barrel

VANGUARD® SYNTHETIC DBM

MSRP \$749

VAS256RR40 VAS270NR40 VAS306SR40



VANGUARD VARMINT SPECIAL MSRP \$849

VBT308NR20

AVAILABLE	CALIBERS
.223 Rem.	VBT223RR20
.22-250 Rem.	VBT222RR20

- ► Monte Carlo Griptonite[®] stock features pistol grip and forend inserts, and right side palm swell (aids shooter comfort and control)
- ► 22" #3 contour heavy barrel (.740 muzzle diameter)

.308 Win.

- ► Recessed target crown to enhance accuracy and protect rifling
- Matte bead blasted blued finish

VANGUARD ® SYNTHETIC COMPACT MSRP \$599

AVAILABLE CALIBERS		
.223 Rem.	VYT223RR00	
.22-250 Rem.	VYT222RR00	
.243 Win.	VYT243NR00	
7mm-08 Rem.	VYT7M8RR00	
.308 Win.	VYT308NR00	

- Injection-molded composite stock
- ► Features a removable elongated spacer to adjust length of pull (12½" to 135/8")
- 20" #1 contour barrel
- ► Matte bead blasted blued finish





28-29

MATCH QUALITY, TWO-STAGE TRIGGER

Two-stage trigger is "creep free" for consistent "let off" and is adjustable down to 2.5 lbs. Trigger housing is constructed of lightweight alloy.



ADJUSTABLE SPACER SYSTEM

The Vanguard[®] Synthetic Compact features a removable elongated spacer system that allows you to "fit" the rifle to the shooter. The spacer creates a longer length of pull (12 ½" to 13 5/8") to accommodate young shooters, or those who want the benefits of a more





VANGUARD® DELUXE

ALE

See Weatherby[®] products in action at WBY-TV.com

VANGUARD[®] DELUXE

MSRP \$1,149

_ _ _ _ _ _ _ _ _ _ _ _ _ AVAILABLE CALIBERS .257 Wby. Mag. VGX257WR40 .270 Win. VGX270NR40 .30-06 Sprg. VGX306SR40 .300 Win. Mag. VGX300NR40

.300 Wby. Mag. VGX300WR40

- Raised comb, Monte Carlo "AA" grade claro walnut stock in high gloss finish
- Rosewood forend and grip cap with maplewood spacers
- Fineline checkering
- Blued metalwork in high lustre finish
- ► 24" #2 contour cold hammer forged barrel

- .223 Rem. .22-250 Rem. VDT222RR40 .243 Win. VDT243NR40 .240 Wby. Mag. VDT240WR40 .25-06 Rem. VDT256RR40 .257 Wby. Mag. VDT257WR40 .270 Win. VDT270NR40 7mm-08 Rem. VDT7M8RR40 7mm Rem. Mag. VDT7MMRR40 .308 Win. VDT308NR40 VDT306SR40 .30-06 Sprg. VDT300NR40
- .300 Win. Mag.
- .300 Wby. Mag. VDT300WR40
- ► Raised comb. Monte Carlo "A" grade Turkish walnut stock with satin urethane finish
- Rosewood forend and fineline diamond point checkering
- Matte bead blasted blued finish
- ► 24" #2 contour cold hammer forged barrel



.... AVAILABLE ONLINE!



_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ AVAILABLE CALIBERS VDT223RR40

BUB-MOA

VANGUARD® SPORTER DBM MSRP \$929

Ľ		
Ļ	AVAILABLE	CALIBERS
i.	.25-06 Rem.	VAW256RR40
I.	.270 Win.	VAW270NR40
ŀ	.30-06 Sprg.	VAW306SR40
۰.		

- ► Raised comb. Monte Carlo "A" grade Turkish walnut stock with satin urethane finish
- Rosewood forend and fineline diamond point checkering
- ► Detachable box magazine is easily extracted at the push of a button
- ▶ Reduces weight by ¼ lb.
- (as compared to Vanguard® Series 2 Sporter)
- Matte bead blasted blued finish
- ► 24" #2 contour cold hammer forged barrel

DETACHABLE BOX MAGAZINE ACCESSORY KIT

Retrofit your Vanguard[®] with our Detachable Box Magazine Accessory Kit. Trims ¼ lb. of weight as compared to hinged bottom metal. Features cartridge counter for easy reference (3 cartridge capacity) and extracts at the push of a button so you can carry extra magazines. See your Weatherby® dealer or visit www.weatherby.com. Available for .25-06 Rem., .270 Win., and .30-06 Sprg.





DIAMOND INLAY

A Weatherby[®] "signature," the Vanguard[®] Deluxe features a special diamond inlay with maplewood spacer on the rosewood pistol grip cap. A beautiful touch for a beautiful rifle.





WBY-X[™] VANGUARD[®] SARATOGA[™]

ALL WBY-X[™] VANGUARD[®] RIFLES feature a SUB-MOA Accuracy Guarantee, 3-position safety, match-quality, two-stage trigger, matte bead blasted blued finish, and swivel studs.

NEW FOR 2015 WBY-X VANGUARD® SARATOGA

MSRP \$749

AVAILABLE	E CALIBERS
.223 Rem.	VGF223RR40
.243 Win.	VGF243NR40
.270 Win.	VGF270NR40
.308 Win.	VGF308NR40
.30-06 Sprg.	VGF306SR40

- ► Injection-molded, composite Monte Carlo stock is fully dipped in One Nation Vintage American Flag camo pattern
- ► 24" #2 contour cold hammer forged barrel

WBY-X[™] VANGUARD® WHITETAIL BONZ® MSRP \$749

1		
į	AVAILABLE	CALIBERS
i	.243 Win.	VBE243NR4C
Ì	.240 Wby. Mag.	VBE240WR40

VBE243NR40
VBE240WR40
VBE257WR40
VBE270NR40
VBE308NR40
VBE306SR40
VBE300NR40
VBE300WR40

- ► Injection-molded composite Monte Carlo stock is fully dipped in Next Camo[™] Whitetail Bonz[®] pattern
- ► 24" #2 contour cold hammer forged barrel

WBY-X[™] VANGUARD® WHITETAIL BONZ®


MSRP \$749

COMPACT

VYE243NR00

VYE308NR00

- . _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ AVAILABLE CALIBERS .223 Rem. VYE223RR00 .22-250 Rem. VYE222RR00
- .243 Win.
- 7mm-08 Rem. VYE7M8RR00
- .308 Win.
- Injection-molded composite Monte Carlo stock is fully dipped in Next Camo[™] Whitetail Bonz[®] pattern
- ► Features a removable elongated spacer to adjust length of pull (12½" to 135/8")
- ► 20" #1 contour cold hammer forged barrel





ONE NATION VINTAGE This patriotic pattern provides an exciting twist to the stars and stripes.



KRYPTEK[®] HIGHLANDER® REDUCED

Designed for varied geographical regions and elevations, Kryptek[®] Highlander[®] Reduced increases stealth when hunting a variety of terrains.



WHITETAIL BONZ®

Defies convention with a unique and intricate pattern design made up of weathered deer skulls and racks intermingled with twigs and brown leaves.



Σ	NEW FOR	R 2015	WBY-	.X ™
/AN	GUARL)® KR	YPTE	K®
		MSR	P \$74	9

AVAILABLI	E CALIBERS
.223 Rem.	VXK223RR40
.243 Win.	VXK243NR40
.270 Win.	VXK270NR40
.308 Win.	VXK308NR40
.30-06 Sprg.	VXK306SR40

- ► Injection-molded composite Monte Carlo stock is fully dipped in Kryptek[®] Highlander[®] Reduced camo pattern
- ► 24" #2 contour cold hammer forged barrel



AVAILABLE	E CALIBERS
.223 Rem.	VXH223RR20
.308 Win.	VXH308NR20

NEW FOR 2015 ₩BY-X

VANGUARD®

KRYPTEK®TR

MSRP \$749

- ► Injection-molded composite Monte Carlo stock is fully dipped in Kryptek[®] Highlander[®] Reduced camo pattern
- ► 22" #3 contour cold hammer forged barrel

WBY-X[™] VANGUARD[®] Volt[™]

ALL WBY-X[™] VANGUARD[®] RIFLES feature a SUB-MOA Accuracy Guarantee, 3-position safety, match-quality, two-stage trigger, matte bead blasted blued finish, and swivel studs.



NEW FOR 2015 VANGUARD® VOLT MSRP \$749

-----AVAILABLE CALIBERS .223 Rem. VLT223RR00 VLT222RR00

SUB-MOA

- .22-250 Rem. VLT243NR00 .243 Win. 7mm-08 Rem. VLT7M8RR00 .308 Win. VLT308NR00
- ► Injection-molded, composite Monte Carlo stock features bright green spiderweb accents
- ► Adjustable length of pull with stock spacer (included) for those who want the benefit of a more compact firearm
- ► Matte bead blasted blue finish
- ► 20" #1 contour cold hammer forged barrel
- ► Weighs just 6 ¾ pounds

Taya Kyle, wife of the late American Sniper and Navy Seal, Chris Kyle, on a pronghorn hunt in Wyoming, hosted by Weatherby and Leupold. See more about the hunt at WBY-TV.com

WBY-X VANGUARD®BLAZE MSRP \$749

	101	0101	Ϋ́́	0

AVAILABLE CALIBERS					
.223 Rem.	VBZ223RR40				
.243 Win.	VBZ243NR40				
.270 Win.	VBZ270NR40				
.308 Win.	VBZ308NR40				
.30-06 Sprg.	VBZ306SR40				

► Injection-molded, composite Monte Carlo stock is fully dipped in Boneyard Camo Blaze[™] pattern

► 24" #2 contour cold hammer forged barrel



GH2 (GIRLS HUNT 2)

AVAILABLE CALIBERS

- .223 Rem. .22-250 Rem.
- .243 Win.
- 7mm-08 Rem. .308 Win.
- Injection-molded, composite Monte Carlo stock features pink spiderweb accents
- ► Adjustable length of pull with stock spacer (included) for those who want the benefit of a more compact firearm
- Matte bead blasted blued finish
- ► 20" #1 cold hammer forged barrel
- Weighs just 6 ¾ pounds



_____ VYP223RR00 VYP222RR00 VYP243NR00 VYP7M8RR00 VYP308NR00

SUB-MOA

AVAILABLE CALIBERS

.223 Rem.	VMT223RR40
.22-250 Rem.	VMT222RR40
.243 Win.	VMT243NR40
.240 Wby. Mag.	VMT240WR40
.25-06 Rem.	VMT256RR40
.257 Wby. Mag.	VMT257WR40
.270 Win.	VMT270NR40
7mm-08 Rem.	VMT7M8RR40
7mm Rem. Mag.	VMT7MMRR40
.308 Win.	VMT308NR40
.30-06 Sprg.	VMT306SR40
.300 Win. Mag.	VMT300NR40
.300 Wby. Mag.	VMT300WR40

VANGUARD

MSRP \$1,199

- Comes with printout from Oehler Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- Pillar bedded composite stock with composite Monte Carlo raised cheekpiece
- ► 24" #2 contour cold hammer forged barrel
- Green stock with black spiderweb accents

VANGUARD® RC VARMINT

MSRP \$1,199

AVAILABLE	CALIBERS
.223 Rem.	VTS223RR20
.22-250 Rem.	VTS222RR20
.308 Win.	VTS308NR20

- Comes with printout from Oehler Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
- ► Range Certified engraved floorplate
- Hand-laminated, composite Monte Carlo composite stock with beavertail forearm and strategically placed vents to dissipate heat
- CNC machined aluminum bedding plate provides a solid, stable platform for the barreled action
- Green stock with black spiderweb accents
- ► 20" #3 contour cold hammer forged barrel



Our new Volt[™] pattern provides an electric combination of black synthetic with bright green spiderweb accents.



BONEYARD CAMO LEGENDS BLAZE[™]

This killer hot pattern brings a bold and fiery look to your rifle. Combines high-resolution red/orange flame graphics with deer antlers and skulls.



GH2 (GIRLS HUNT 2)

Girl power meets Weatherby[®] power with a pink and black spiderweb pattern that gives the ladies their own unique look.



All WBY-X[™] rifles and shotguns come with a removable white vinyl decal. Only Range Certified (RC) models come with Oehler data sheet.

Ultra-high velocity, magnum ammunition is how Roy Weatherby got started in the 1940s. As a young wildcatter, he revolutionized the industry with his fast, hard-hitting loads that were dead-on accurate. Today, those same performance qualities are every bit a part of Weatherby[®] cartridges. When combined with a Weatherby[®] rifle, Nothing Shoots Flatter, Hits Harder Or Is More Accurate[™].

HARD-HITTING PERFORMANCE AND UNMATCHED VALUE.

Our Select[™] ammunition gives you the flat shooting, hard-hitting, and incredibly accurate performance of the Norma[®] Spitzer bullet for just \$43 a box. Choose Weatherby® Select[™] in four of our most popular chamberings - .240 Wby. Mag., .257 Wby. Mag., .270 Wby. Mag. and .300 Wby. Mag.

Justin Moore, Weatherby's Director of Marketing, with a Dall Sheep ram he killed using Weatherby® Select[™] Ammunition.









Weatherby, Inc. founder Roy Weatherby often demonstrated the power of his magnum cartridges. Here he shows the results of shooting through "bulletproof" glass and examines the results of another dramatic test.

WEATHERBY® SELECT PLUS MATCH YOUR FAVORITE BRANDED BULLET WITH

THE ULTIMATE IN SPEED, POWER AND ACCURACY.

Weatherby[®] Select Plus[™] ammunition is the fastest shooting, hardest hitting, most accurate ammunition you can buy. It pairs our magnum design with the most popular bullet offerings from Barnes,[®] Hornady[®] and Nosler.[®] With Select Plus[™], there's a bullet option to meet every hunting or shooting situation. Available in all Weatherby Magnum chamberings from .224 Wby. Mag. thru .460 Wby. Mag. With a Weatherby[®] Mark V[®] or Vanguard[®] rifle, you'll have an unbeatable combination for tack-driving knockdown power that's always dead on the money.







BULLETS

Weatherby® ammunition offers a variety of bullets that are carefully selected for specific hunting applications. To meet varying needs, we proudly load the renowned Barnes TTSX,[™] TSX[®] the popular Nosler[®] Partition[®] Nosler Ballistic Tip,[®] Nosler Accubond[®] and Hornady[®] Interlock[®] in Weatherby[®] Select Plus[™] ammunition. Weatherby[®] Select[™] ammunition is loaded with Norma® Spitzer.

DOUBLE RADIUS VENTURI SHOULDER

Unique design increases the velocity of escaping gases without increasing the pressure within the cartridge. This results in higher velocity within standard pressure ranges.

BRASS

We use Norma[®] Precision Brass, offering CNC-machined primer pockets produced to match-grade specifications...the finest that money can buy.

POWDER

Norma[®] High-Grade Premium Powder is used in all Weatherby® Ammunition to deliver maximum attainable velocity and energy. Each lot of powder is tested to assure consistency and to achieve the lowest standard velocity deviation from shot to shot, maximizing accuracy. Gives the non-handloader the performance of handloaded ammunition.

SPECIALLY-DESIGNED

PRIMERS provide positive ignition of the large powder charges found within Weatherby[®] Magnum ammunition.

ACCURATE

BARNES

99-100% WEIGHT RETENTION

TTSX^{**} – Barnes' TTSX takes the proven performance of their Triple-Shock X bullet design and adds a streamlined polymer tip. The result is a blistering fast projectile that pushes velocity to a whole new level. 100% copper body with multiple rings delivers pinpoint accuracy and "dead right there" performance. Polymer tip with re-engineered nose cavity boosts the ballistic coefficient, improves long-range ballistics and provides even faster expansion. | www.barnesbullets.com

AVAILABLE BULLET	WEIGHTS*
Wby, Caliber	.257
Woight (Grains)	
Muzzle Velocity	3870

99-100% WEIGHT RETENTION

TSX[•] – Upon its introduction, the Barnes X bullet was generally regarded as a quantum leap in bullet design, retaining virtually all of its weight upon impact and delivering superior terminal performance in a lighter weight bullet. The 100% copper construction TSX takes the X to the next level with a specially-designed nose cavity that opens instantly into four razor sharp petals on impact. | www.barnesbullets.com

AVAILABLE B		et we	IGHT	6 *									
Wby, Caliber	.240	.257	.270	7mm	.300	.300	.30-378	.30-378	.338-378	.340	.378	.416	.460
Woight (Grains)		100		140	165		165	180				350	450
Muzzle Velocity	3500	3570	3400	3250	3330	3240	3450	3360	3180	2970	3060	2880	2660

ornady

INTERLOCK[®] SPIRE POINT- A tried and true hunting bullet, the InterLock promises more mass, energy and momentum at impact for greater penetration. Secant ogive design offers a high ballistic coefficient with maximum bearing surface for greater stability. A raised InterLock ring ensures the core and jacket remain locked during expansion. | www.hornady.com

AVAILABLE E	BULLET WEI	GHTS*				
Wby. Caliber	.224	.257	.270		7mm	7mm
Weight (Grains)	55	100			154	175
Muzzla Valocity	3850	3602	3375		3260	3070
Wby. Caliber	.300	.300	.300	.340	.340	.378
Weight (Grains)	150	165	180	225	250	270
Muzzla Valacity			327.M		2083	3180


osier

and maximum expansion. | www.nosler.com

BALLISTIC TIP[•] – Extremely predictable and forgiving, the Ballistic Tip has been a proven performer for more than 20 years. Fully-tapered jacket and lead alloy core allows controlled expansion and optimum weight retention. Ballisticallyengineered Solid Base[®] boat tail configuration combines with color-coded (by caliber) polycarbonate tip for extreme long-range performance. | www.nosler.com

AVAILABLE B	ULLET WE	IGHTS*					
Wby, Caliber	.257	.270	7mm	.300	.300	.30-378	.30-378
Woight (Grains)	115	140		185	180	165	
Muzzle Velocity	3400	3300	3300	3350	3250	3500	3420

60-70% WEIGHT RETENTION



50% WEIGHT RETENTION

AVAILABLE BULL	ET WEIGHTS*			
Wby. Caliber	.257	.270	.300	.30-376
Weight (Greins)	110	140		
Muzzla Valocity	3460	3320	3250	3420

65-70% WEIGHT RETENTION

PARTITION[®] – The ultimate in accuracy, controlled expansion and weight retention in any caliber, on any game, in any situation. Integral partition supports the expanded mushroom and retains the rear lead alloy core. Fully-tapered jacket ruptures instantly on impact, while controlling expansion at all velocities. | www.nosler.com

AVAILABLE E	BULLET	T WEIG	HTS*								
Wby, Caliber	.240		.270		.300	.300	.300	.30-378	.338-378	.340	.375
Weight (Grains)					150		200	200	250	250	300
Muzzle Velocity	3406	3305	3245	3200	3540	3240	3060	3160	3060	2941	2800

*Bullet weights listed above are available in Weatherby® Magnum Ammunition. Description, illustrations and weight retention specifications provided by bullet manufacturer. Impact velocities can significantly affect bullet weight retention.



SPITZER – This value-priced bullet is ideal for most medium to big game from antelope to elk. The half-jacketed, lead alloy core features a classic Spitzer design with exposed lead tip. | www.norma.cc/en

BALLISTIC SPECIFICA

SP = Spire Point (Hornady[®] Interlock[®]) Rn-Ex = Round Nose-Expanding FMJ = Full Metal Jacket Barnes TSX = Barnes[™] TSX[®] Barnes TTSX = Barnes[™] TTSX[™] Partition = Nosler® Partition® Flat Base BST = Nosler[®] Ballistic Tip[®] Accubond = Nosler[®] Accubond[®] Spitzer = Norma[®] Spitzer

Buffalo, Rhino, Lion)

- bore centerline.
- Accubond[®], Ballistic Tip[®] and Partition[®] are registered trademarks of Nosler, Inc.
- are trademarks of Barnes Bullets, LLC.
- Manufacturing Company.
- For more information and retail pricing visit Weatherby.com



70-80%	WEIGHT RETENTION	
he	S	



60-70% WEIGHT RETENTION



240

- Ammunition Suggested Usage: V-Varmint M-Medium Game (Deer, Sheep, Pronghorn, Black Bear) B-Big Game (Elk, Moose, Grizzly) A-African Big Game (Elephant, Cape
- *Above or below line-of-sight of rifle scopes mounted 1.5" above bore.
- NOTE: These tables were calculated by computer using a standard modern scientific technique to predict trajectories and recoil energies from the best available data for each cartridge. The figures shown are expected to be reasonably accurate of ammunition behavior under standard conditions. However, the shooter is cautioned that performance will vary because of variations in rifles, ammunition, atmospheric conditions and altitude.
- B/C: Ballistic Coefficients used for these tables were supplied by the bullet's manufacturer. Listed velocities were determined using 26-inch barrels. Velocities from shorter barrels will be reduced by 30 to 65 feet per second per inch of barrel removed.
- Trajectories were computed with the line-of-sight 1.5 inches above the
- ▶ Barnes TSX[®] is a registered trademark of Barnes Bullets, LLC. Barnes[™] and TTSX[™]
- Hornady[®] and Interlock[®] are registered trademarks of Hornady

		BALLISTICS SPECIFICATIONS																					
Suggested	Cartridge	Bu		Product	MSRP	B/C			city in Fast							loot-Pour					rth of Bu		
Usage	caronoga	Weight Grains	Bullet Type	Code	0.000	8/6	Muzzle	100 yds.	200 yds 30	00 yds.	400 yds.	500 yds.	Muzzle	100 yds.	-200 yds.	300 yds.	400 yds.	500 yds.	100 yds.	200 yds.	300 yds.	400 yds.	
V	.224 Wby.	55	SP	H22455SP	\$68	.235	3650	3192	2780	2403	2056	1741	1627	1244	944	705	516	370	2.8	3.7	0.0	-9.8	-27.9
M	.240 Wby.	85	Barnes TSX	824085TSX	\$92		3500	3222	2962	2717	2484	2264	2448	2075	1753	1475	1233	1024	2.8	3.3	0.0	-8.0	-21.6
M		100	Spitzer	G240100SR	\$43	.302	3200	2875	2573			1780	2274		1470	1165	911	703	3.6	4.4	0.0	-11.1	-30.7
M		100	Partition	N240100PT	\$92	.384	3406	3136	2882	2642	2415	2199	2576	2183	1844	1550	1294	1073	2.8	3.5	0.0	-8.4	-22.9
M	.257 Wby.	80	Barnes TTSX	825780TTSX	\$92	.316	3870	3561		3005	2753	2514	2661	2253	1904	1605	1346	1123	1.9	2.6	0.0	-6.4	-17.4
M		100	Spitzer	G257100SR	\$43	.256	3500	3091		2375	2057	1766	2721	2122	1641	1253	940	693	3.0	3.9	0.0	-10.1	-28.5
M		100	SP	H257100SP	\$68	.357	3602	3298		2750	2500	2264	2881	2416	2019	1680	1388	1138	2.4	3.1	0.0	-7.7	-21.0
M		100	Barnes TSX	8257100TSX	\$92	.370	3570	3312		2840	2623	2203	2731	2352	2019	1725	1496	1239	2.9	3.7	0.0	-8.8	-23.7
M		110	Accubond	N257110ACB	\$92	.418	3460	3207		2744	2529	2325		2513	2154	1839	1563		2.7	3.3	0.0	-7.9	-21.2
M		115	BST	N2571158ST	\$80	.453	3400	3170		2745	2547	2357	2952	2566	2226	1924	1656	1419	3.0	3.5	0.0	-7.9	-21.5
M		120	Partition	N257120PT	\$92	.391	3305	3046				2141	2910	2472	2091	1760	1471	1221	3.0		0.0	-8.9	-24.3
M	.270 Wby.	130	Spitzer		\$43	.359	3280			2489	2254	2032	3106	2599	2163	1789	1468		3.1	3.9	0.0	-9.5	-25.9
M		130	SP	H270130SP	\$68	.409	3375		2885		2444	2240		2815	2402	2041	1724	1448	2.8	3.5	0.0	-8.4	-22.6
M		130	Barnes TSX	8270130TSX	\$92	.431	3400		2963	2761	2587	2382		2912	2536	2201	1903		2.6	3.3	0.0	-7.9	-21.0
M		140	Accubond	N270140ACB	\$92	.496				2727	2547	2373	3427	3014	2644	2313	2016	1751	2.8	3.4	0.0	-8.1	-21.6
M		140	BST	N270140BST	\$80	.456	3300	3077		2663	2470			2943		2204	1896		2.9	3.6	0.0	-8.4	-22.6
M		150	Partition	N270150PT	\$92	.465	3245	3029		2627	2439	2259	3507	3055	2655	2298	1981	1699	3.0	3.7	0.0	-8.7	-23.2
M	7mm Wby.	140	Barnes TSX	B7MM140TSX	\$92	.394	3250	3039		2645	2460	2283	3284	2871	2503	2175	1882	1621	3.0	3.6	0.0	-8.6	-23.0
M		150	BST	N7MM150BST	\$78	.493	3300	3093		2708	2527	2353	3627	3187	2793	2442	2127	1844	2.8	3.5	0.0	-8.2	-21.8
M		154	SP	H7MM154SP	\$68	.433	3260	3028		2597	2397	2206	3634	3134	2694	2307	1964	1663	3.0	3.7	0.0	-8.8	-23.8
M		160	Partition	N7MM160PT	\$92	.475	3200	2991		2500	2417	2241	3638	3177	2767	2401	2075	1784	3.1	3.8	0.0	-8.9	-23.8
MB		175	SP	H7MM175SP	\$68	.462		2861	2662	2471	2288	2113	3662	3181	2753	2373	2034	1735	3.5	4.2	0.0	-9.9	-26.5
M	.300 Wby.	150	SP	H300150SP	\$68		3540	3225		2657			4173	3462	2862		1916	1547	2.6	3.3	0.0	-8.2	-22.6
M		150	Partition	N300150PT	\$92		3540		3004	2759	2528	2307	4173	3547	3005	2536	2128		2.5	3.2	0.0		-20.9
M		165	SP	H300165SP	\$68		3390		2872			2195	4210	3573	3021	2542	2126	1765	2.8	3.5	0.0	-8.5	-23.1
MB		165	Barnes TSX	B300165TSX	\$92	.390	3330	3073	2831			2175	4064	3460	2936	2479	2080	1734	2.9	3.6	0.0	-8.8	-23.7
M		165	BST	N3001658ST	\$80	.475	3350		2927	2730	2542	2361	4111	3596		2730	2367	2042	2.7	3.4	0.0	-8.1	-21.4
MB		180	Spitzer	G300180SR	\$43		3150	2855	2579	2319	2074	1845		3259	2659	2150	1720	1361	3.6	4.4	0.0		
MB		180	SP	H300180SP	\$68	.425	3240	3004	2781				4195	3607	3091	2637			3.1	3.8	0.0		-24.4
MB		180	Barnes TSX	8300180TSX	\$92	.453	3240	3018	2807		2414	2230	4197	3642		2715	2319	1987		3.7	0.0	-8.8	-23.6
MB		180	BST	N3001808ST	\$80	.507	3250	3051	2806	2676	2503	2334	4223	3721	3271	2867	2504	2178	2.8	3.6	0.0	-8.4	-22.4
MB		180	Accubond	N300180ACB	\$92	.507	3250	3051		2678			4223			2868	2505		2.9	3.6	0.0	-8.4	-22.4
MB		180	Partition	N300180PT	\$92	.474	3240	3028	2826		2449	2271	4195	3665		2772	2396	2062	3.0	3.7	0.0	-8.6	-23.1
MB		200	Partition	N300200PT	\$92	.481	3060	2860	2668	2485	2308	2139	4158	3631	3161	2741	2366	2032	3.5	4.2	0.0	-9.8	-26.2
MB	.30-378 Wby.	165	Barnes TSX	8303165TSX	\$162	.380	3450	3186	2937	2702	2479	2266	4362	3719	3161	2675	2251	1882	2.4	3.1	0.0	-7.4	-19.6
M		165	BST	N3031658ST	\$149	.475	3500	3275	3062	2859	2665	2480	4488	3930	3435	2995	2603	2253	2.4	3.0	0.0	-7.4	-19.5
M		180	BST	N3031808ST	\$149	.507	3420	3213	3015	2826	2645	2471	4676	4126	3634	3193	2797	2441	2.5	3.1	0.0	-7.5	-20.0
M		180	Accubond	N303180ACB	\$149	.507	3420	3213	3015	2826	2645	2471	4676	4126	3634	3193	2797	2441	2.5	3.1	0.0	-7.5	-20.0
MB		180	Barnes TSX	B303180TSX	\$162	.453	3360	3132	2916	2709	2513	2324	4513	3921	3398	2935	2524	2160	2.7	3.4	0.0	-8.1	-21.8
MB		200	Partition	N303200PT	\$162	.481	3160	2955	2759	2572	2392	2220	4434	3877	3381	2938	2541	2188	3.2	3.9	0.0	-9.1	-24.3
MB	.338-378 Wby.	225	Barnes TSX		\$162	.386	3180	2974	2778	2591	2410	2238	5052	4420	3856		2902	2501	3.1	3.8	0.0	-8.9	-24.0
MB		250	Partition	N333250PT	\$157	.473	3060			2475	2297	2125	5197	4528		3401	2927	2507	3.5	4.2	0.0	-9.8	-26.4
MB	.340 Wby.	225	SP	H340225SP	\$80	.397	3066	2824	2595	2377	2170	1973	4696	3984	3364	2822	2352	1944	3.6	4.4	0.0	-10.7	-28.6
В		225	Barnes TSX	8340225TSX	\$114	.386	2970	2726	2495	2276	2058	1871	4408	3714	3111	2588	2136	1749	4.0	4.8	0.0	-11.5	-31.2
В		250	SP	H340250SP	\$80	.431	2963	2745	2537	2338	2149	1968	4873	4182	3572	3035	2563	2150	3.9	4.6	0.0	-11.1	-29.6
В		250	Partition	N340250PT	\$114	.473	2941	2743	2553	2371	2197	2029	4801	4176	3618	3120	2678	2286	3.9	4.6	0.0	-10.9	-28.9
BA	.375 Wby.	300	Partition	N375300PT	\$126	.398	2800	2572	2366	2140	1963	1760	5224	4408	3696	3076	2541	2084	1.9	0.0	-8.2	-23.9	-48.7
BA	.378 Wby.	270	SP	H378270SP	\$149	.380	3180	2921	2677	2445	2225	2017	6062	5115	4295	3583	2968	2438	1.3	0.0	-6.1	-18.1	-37.1
BA		270	Barnes TSX	B378270TSX	\$172	.326	3060	2868	2684	2507	2337	2174	5615	4932	4319	3770	3276	2834	1.3	0.0	-6.2	-17.9	-36.1
BA		300	Rn-Ex	H378300RN	\$149	.250	2925	2558	2220	1908	1627	1383	5699	4360	3283	2424	1764	1274	1.9	0.0	-9.0	-27.8	-60.0
BA		300	FMJ	H378300FJ	\$149	.275	2925	2591	2280		1725	1489	5699	4470	3461	2640	1983	1476	1.8	0.0	-8.6	-26.1	-55.4
A	.416 Wby.	350	Barnes TSX	8416350TSX	\$197	.345	2880	2702				2054	6448	5674	4977	4349	3785			0.0	-7.0	-20.4	-40.8
A		400	Rn-Ex	H416400RN	\$197		2700	2417	2152		1676	1470	6474	5189	4113	3216	2493	1918	2.3	0.0	-9.7	-29.3	-61.2
A	.460 Wby.	450	Barnes TSX	8460450TSX	\$197	.369	2660	2422	2197	1983	1783	1598	7072	5864	4823	3932	3178	2553	2.2	0.0	-9.5	-27.8	-57.1
A		500	Rn-Ex	H460500RN	\$172		2600	2301	2022	1764	1533	1333	7504	5877	4539	3456	2608	1972	2.6	0.0	-11.1	-33.5	-71.1
A		500	FMJ	H460500FJ	\$172	.295	2600	2309		1784	1557	1357	7504	5917	4605	3534	2690	2046	2.5	0.0	-10.9	-33.0	-69.6

ORIONS-NEW FOR 2015

From upland birds, to waterfowl, to fast-moving clays our new Orion[®] Over/Under handles them all with exceptional double gun performance. Traditional boxlock design. Forged steel receiver. Rich Grade "A" walnut stock. A rock solid, beautiful shotgun that delivers that exceptional balance and effortless swing thru. From the moment you pick it up you'll know you have something special in your hands.



AMBIDEXTROUS TOP TANG SAFETY Safety also serves as barrel selector, allowing shooter to quickly choose which barrel shoots first. Easy to use, even with gloved hands. CHROME-LINED BORES ----Chamber and bore are chrome-lined for easier cleaning and greater corrosion resistance.

WEATHERBY

PRINCE OF WALES GRIP Rounded Prince of Wales grip with 22 LPI checkering provides for a comfortable, sure grip in the field. Eigets spent shells to allow for faster reloading.

LOW PROFILE RECEIVER Constructed of forged steel, the receiver is shallower in depth and thinner in profile than traditional 12 gauge designs. Provides exceptional balance and reduced weight.

INTEGRAL N SYSTEM

All Orion[®] shotguns feature our Integral Multi-Choke System and come with three application specific tubes (Full/Mod/IC).



Ventilated top rib provides better sighting plane and dissipates heat waves quicker. Threaded brass bead front sight for faster target acquisition and a traditional look.

INTEGRAL MULTI-CHOKE



TRADITIONAL BOXLOCK ACTION

Features dual conical pin locking mechanism for the ultimate in structural integrity.



ORION®

MSRP \$1,099 12 GAUGE

- 26" Barrel
 OR11226RGG

 28" Barrel
 OR11228RGG
- ► 12 gauge with 3" chamber
- Weighs just 7 pounds



SUPERIOR FIT AND FINISH

The Orion[®] I features a Grade "A" walnut stock with Prince of Wales grip and 22 LPI checkering. A Pachmayr[®] Decelerator[®] pad with "speed mount heel" won't catch when shouldering the gun and reduces felt recoil. High gloss finish and exceptional wood-to-metal fit.



Our new Element[™] semi-auto shotgun brings together the signature fit and finish of a Weatherby[®], with our new "inertia-operated" action. The result is performance that is clean, smooth and ready for round after round of high volume shooting.

INERTIA OPERATED SEMI-AUTO SHOTGUNS-NEW FOR 2015

DROP-OUT TRIGGER SYSTEM Adds to the exceptional functionality of the Element[™]. Can be quickly removed for easy cleaning.

DUAL PURPOSE BOLT RELEASE -----A push of the button releases the bolt forward and also allows shells to be removed from the magazine without ejecting the round in the chamber.*

Nip_

VEATHERBY A

--- AA GRADE AMERICAN WALNUT STOCK Our partnership with Minelli of Italy produced a unique and beautifully designed stock that showcases the best of American and Italian ingenuity.

AIRCRAFT GRADE -ALUMINUM

Receiver is crafted from aircraft grade aluminum alloy for exceptional strength while reducing weight. All metalwork is gloss finished with gold-etched Weatherby® logo on sideplate of receiver.



CHROME-PLATED BOLT Bolt head and carrier are hard chrome-plated for increased durability and corrosion resistance, while reducing friction. Bolt handle is checkered for a sure grip in the field.

INERTIA-OPERATED ACTION Directs carbon and gas out the barrel for clean, reliable performance.

The superior fit and finish includes 22LPI wrap around checkering on the American walnut forend.





FIBER OPTIC BEAD Fiber optic green bead aids in faster target acquisition.



INTEGRAL MULTI-CHOKE SYSTEM

All Element[™] shotguns feature our Integral Multi-Choke system and come with three application specific tubes (Full/Mod/IC). 28 gauge models feature Beretta Mobil pattern choke tubes.



Chamber and bore are chrome-lined for easier cleaning and greater corrosion resistance.

- CHROME-LINED BARRELS

- VENTILATED TOP RIB Provides better sighting plane and dissipates heat waves faster.

MSRP \$1,099 - 12 & 20 GAUGE / MSRP \$1,149 - 28 GAUGE

SUPERIOR FIT AND FINISH

			2
į	12 GAUGE		
	26" Barrel	EDX1226PGG	
n i i	28" Barrel	EDX1228PGG	

20 GAUGE	
26" Barrel	EDX2026PGG
28" Barrel	EDX2028PGG

			_	_	_
8 GAUGE					
6" Barrel	EDX28	326P0	GG		
8" Barrel	EDX28	328P0	GG		

ELEMENT" DELUXE

GAS OPERATED SEMI-AUTO SHOTGUNS



Smooth. Reliable. Easy on the shoulder. Those are three characteristics most often used to describe our SA-08[™] semi-auto. The dual valve system

Past Sobias, C

lets you tailor your load from upland loads to 3" magnums. In the hands, the SA-08[™] is trim, balanced and a pleasure to carry, tipping the scales at just 5½ - 6½ lbs.



The SA-459[™] combines the smooth cycling action of our dual valve system with the comfort and control of an ergonomic pistol grip.

UNIQUE DROP-OUT TRIGGER SYSTEM Adds to the exceptional functionality of the SA-08[™]. Can be quickly removed for easy cleaning.

> CHROME-PLATED BOLT --The SA-08[™] bolt is chrome-plated for smooth, non-binding action and years of dependable use.

CHROME-LINED BARRELS -----Withstands the wear and tear of high-volume shooting. Lengthened forcing cones work to reduce felt recoil, curbing shooter fatigue while improving patterns.



WEATHERBY.COM Find the optimal load for your specific hunting and shooting needs at www.weatherby.com/SAloads



EXTENDED MAGAZINE TUBE All Weatherby® 8-shot models feature an extended magazine tube to increase the shell capacity of the magazine. 922R compliant.

- CNC-MACHINED RECEIVER

Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

INTERCHANGEABLE MULTI-CHOKE SYSTEM

Weatherby

Weatherby[®] SA-08[™] shotguns feature an interchangeable, screw-in multi-choke system to allow you to tailor your shot pattern for specific needs. Crafted from steel, Weatherby® chokes also feature a unique design that reduces thread fouling and aids in easy removal/changes in the field. Certified for steel shot through modified choke constrictions.





TR ACCESSORY RAIL - > Our Threat Response[®] Accessory Rail gives you quick mounting and the flexibility to add a flashlight or laser sight. Allows for positioning on the left, right or under side of the weapon.* (Sold separately-light not included).

*Minor modifications may be required for some accessories.

ADVANCED SIGHTING SYSTEM -1

Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition.

- SAFETY

Push-button safety is conveniently mounted on the trigger guard for quick acquisition and ease of use.

L______

-- CNC-MACHINED RECEIVER

Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

<---- SPECIALLY DESIGNED STOCK WITH PISTOL GRIP</p>

Stock features 13.5" LOP for guicker shoulder mounting. Rubber textured grip for additional comfort and control delivers sure handling in high-stress situations.



Pasa Robles CA

SA-08[™] WATERFOWLER MAX-5°

ALL SA-O8" SHOTGUNS feature a unique dual valve system for a wide range of loads, lightweight CNC-machined receiver, chrome-lined vented top rib barrel (dissipates heat and aids in target acquisition) with brass bead, and integral multi-choke system, including 3 application-specific choke tubes (IC/M/F).



NEW FOR 2015 SA-08 WATERFOWLER MAX-5°

MSRP \$799

12 GAUGE	
26" Barrel	SA08M51226PGM
28" Barrel	SA08M51228PGM

► Features the new Realtree[®] Max-5[®] camo pattern, adheres directly to all metalwork and stock components

► Swivel studs included



Tune in to WBY-TV.com for helpful product tips and entertaining content that promotes the true spirit of the outdoor lifestyle. Something's always on at WBY-TV.com!

Noted wild game food columnist and author Tiffany Haugen enjoys another successful day of Canadian goose hunting.

12 GAUGE	
26" Barrel	SA
28" Barrel	SA
20 GAUGE	
26" Barrel	SA

28 GAUGE

26" Barrel SA08D2826PGM 28" Barrel SA08D2828PGM

Beautiful select grade walnut stock with high gloss finish

22 LPI checkering on pistol grip and forend

► Rich high lustre finish on metalwork

The Weatherby[®] SA-08[™] Deluxe 28 gauge was awarded *American Rifleman's* prestigious Golden Bullseye Award for 2014 Shotgun of the Year.



arather by



28" Barrel SA08D2028PGM



	SA-08 UPLAND
	MSRP \$799
12 GAUGE	

26" Barrel	SA08U1226PGM
28" Barrel	SA08U1228PGM
20 GAUGE	
26" Barrel	SA08U2026PGM
28" Barrel	SA08U2028PGM

► Walnut stock with satin finish

► All metalwork is matte black to reduce glare



MSRP \$629

İ	12 GAUGE						
÷	26" Barrel	SA08S1226PGM					
i	28" Barrel	SA08S1228PGM					
1	20 GAUGE						
1	26" Barrel	SA08S2026PGM					
÷	28" Barrel	SA08S2028PGM					

- ► Lightweight and durable injectionmolded synthetic stock
- ► All metalwork is matte black to reduce glare
- Swivel studs included

SA-08 SYNTHETIC COMPACT

MSRP \$629

- -----20 GAUGE 24" Barrel SA08SY2024PGM
- ► Shorter 12 ½" length of pull with 24" barrel fits young shooters or those that want the benefits of a compact shotgun (far right)





SA-459[™] TURKEY

THESE SA-459" AND SA-08" SHOTGUNS feature a unique dual valve system for a wide range of load versatility. Swivel studs included.

Karissa Pfantz, WBY-X[™] spokesperson.



NEW FOR 2015 SA-459 **TURKE**)

MSRP \$799

-----12 GAUGE 22" Barrel SA459XG1222PGM

- 20 GAUGE 22" Barrel SA459XG2022PGM
- ► Fully dipped in Realtree Xtra® Green camo
- Rubberized pistol grip for one hand control
- ► 22" barrel with vented top rib
- Includes one extended, fluted choke tube (XF)
- Removable Picatinny receiver mount
- Green fiber optic front sight
- Enlarged bolt handle
- Swivel studs included

NEW FOR 2015 WBY-X™ SA-08 KRYPTEK° COMPACT

MSRP \$799

_____ 20 GAUGE 24" Barrel SA08KC2024PGM

- ► Fully dipped in Kryptek[®] Highlander[®] Reduced camo
- ► 12 ½" length of pull with 24" barrel for those who want the benefit of a more compact firearm
- Vented top rib dissipates heat and aids in target acquisition
- Comes with 3 application-specific choke tubes (IC/M/F)

GH2 (GIRLS HUNT 2)

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ 20 GAUGE

24" Barrel SA08GY2024PGM

- Lightweight and durable injection-molded synthetic stock featuring a pink spiderweb pattern
- ▶ 12 ½" length of pull with 24" barrel for those who want the benefit of a more compact firearm
- Vented top rib dissipates heat and aids in target acquisition
- All metalwork is matte black to reduce glare
- ► Comes with 3 application-specific choke tubes (IC/M/F)

WBY-X[™] SA-08[™]

MSRP \$729

NEW FOR 2015 WBY-X™ SA-08 *Volt™ compact* MSRP \$729

20 GAUGE

24" Barrel SA08VC2024PGM

- Lightweight and durable injection-molded synthetic stock featuring Volt[™] green spiderweb pattern
- ▶ 12 ½" length of pull with 24" barrel for those who want the benefit of a more compact firearm
- Vented top rib dissipates heat and aids in target acquisition
- ► All metalwork is matte black to reduce glare
- ► Comes with 3 application-specific choke tubes (IC/M/F)



12 GAUGE

18 ½" Barrel SA459R1219PGM

. - - - - - - - - - - - - - - -

20 GAUGE

18 ½" Barrel SA459R2019PGM

- ► Removable Picatinny receiver mount
- ► Features a trim forend for easy handling
- ▶ 18 ½" barrel with removable extended ported cylinder choke tube (OAL 20")
- Oversized hourglass bolt handle is easy to locate and operate
- Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition
- Forend features forward mounted Picatinny rail for mounting accessory and ribbed surface for better grip control

NEW FOR 2015 SA-459 8-SHOT

MSRP \$849

12 GAUGE

18 ½" Barrel SA459HC1219PGM

- 922R compliant
- ► 18 ½" chrome-lined fixed cylinder bore with 3" chamber—ideal for close quarters and home defense situations
- Oversized hourglass bolt handle is easy to locate and operate
- Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition
- Forend features forward mounted Picatinny rail for mounting accessory and ribbed surface for better grip control
- Extended magazine for additional shell capacity (2 3/4" 7+1) (3" Magnums 6+1)
- Swivel studs included



All WBY-X[™] rifles and shotguns come with a removable white vinyl decal.

RELIABLE PUMP ACTION SHOTGUNS



Upland birds. Waterfowl. Turkey. Deer. Our PA-08™ tackles them all with easy handling and smooth, reliable pump action performance. Put one to your shoulder and see for yourself.



RELIABLE PUMP ACTION SHOTGUNS

you'll ever have.

UNIQUE DROP-OUT TRIGGER SYSTEM Adds to the exceptional functionality of the PA-08[™]. Can be quickly removed for easy cleaning.

> **r-** CHROME-PLATED BOLT Delivers smooth, non-binding action and years of dependable use.



CNC-MACHINED RECEIVER Constructed of aircraft-grade alloys to reduce overall weight, improving handling characteristics.

SUPERIOR FIT AND FINISH

The PA-08[™] looks as good as it shoots. Walnut stocks are hand-selected, shaped and finished with beautiful high gloss urethane finish with fineline checkering (20 LPI) for a safe, sure grip in the field.



INTEGRAL MULTI-CHOKE SYSTEM

Steel, screw-in tubes let you tailor your shot pattern to specific needs. Certified for steel shot through modified choke restrictions.

LENGTHENED

FORCING CONE Reduces felt recoil, curbing shooter fatigue while improving patterns.



MIL-SPEC PICATINNY ACCESSORY RAIL

Provides quick mounting and the flexibility to add a flashlight or laser sight to your Threat Response shotgun. Attaches to the magazine endcap and allows for right, left or under side positioning. (Sold separately — light not included).* * Minor modifications may be required

for some accessories.

SAFETY -----

Push-button safety is conveniently mounted on the trigger guard for guick acquisition and ease of use.



To protect your home and loved ones, a PA-459™ delivers all the rock-solid performance you could want. Built for the most important job

- EXTENDED AND ENLARGED SLIDE RELEASE

Located ahead of the trigger guard for fast, easy function of the action.

L______)



SEE WEATHERBY® PRODUCTS IN ACTION AT WBY-TV.COM ----

F--- ADVANCED SIGHTING SYSTEM Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition.

<---- SPECIALLY DESIGNED STOCK WITH PISTOL GRIP


Stock features 13.5" LOP for quicker shoulder mounting. Rubber textured grip for additional comfort and control delivers sure handling in high-stress situations.





PA-08™ UPLAND

See Weatherby® products in action at WBY-TV.com



PA-08 UPLAND

MSRP	\$449

12 GAUGE	
26" Barrel	PA08U1226PGM
28" Barrel	PA08U1228PGM
20 GAUGE	
26" Barrel	PA08U2026PGM

28" Barrel	PA08U2028PGM

► Walnut stock with gloss finish

Whatherby

- ► All metalwork is gloss black for a distinctive look
- Vented top rib dissipates heat and aids in target acquisition

PA-08 **UPLAND COMPACT**

MSRP \$449

- 20 GAUGE 22" Barrel PA08Y2022PGM
- ► Shorter 22" barrel and 12 ½" length of pull are ideal for those who want the benefits of a more compact shotgun (on right)

•	-	_	_	-	-	-	-	
	_	_			_			
	12	G	Aι	JG	E			

- 28" Barrel PA08S1228PGM
- 20 GAUGE
- 28" Barrel PA08S2028PGM
- Lightweight and durable injection-molded synthetic stock
- ► All metalwork is matte black to reduce glare
- Swivel studs included

SYNTHETIC COMPACT

- 20 GAUGE
- 22" Barrel PA08SY2022PGM
- ▶ Shorter 22" barrel and 12 ½" length of pull are ideal for those who want the benefits of a more compact shotgun (far right)

PROVEN



PA-08[™] WATERFOWLER MAX-5[®]

THESE PA-O8" SHOTGUNS feature a lightweight and durable injection molded synthetic stock, dependable dual bar pump action, and swivel studs.

Brenda and Dana Weatherby (wife and daughter of Adam Weatherby).



NEW FOR 2015 PA-08™ WATERFOWLER MAX-5°

MSRP \$429

Whatherby

=		
	12 GAUGE	
	26" Barrel	PA08M51226PGM
	28" Barrel	PA08M51228PGM

► Features the new Realtree® Max-5[®] camo pattern on buttstock and forend

▶ Weighs 7 ¼ pounds

PA-08™ TR

MSRP \$399

12 GAUGE	
18 ½" Barrel	PA08TR1219PGM
20 GAUGE	
18 ½" Barrel	PA08TR2019PGM

- An affordable entry for home defense
- ► 18 ½" chrome-lined fixed cylinder bore with 3" chamber — ideal for close quarters and home defense situations
- All metalwork is matte black to reduce glare
- Blade white dot front sight

. _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ 12 GAUGE 18 ½" Barrel PA08STR1219PGM

20 GAUGE

18 ½" Barrel PA08STR2019PGM

- ► Features Proveil® Reaper[™] Black pattern on buttstock and forend
- ► 18 ½" chrome-lined fixed cylinder bore with 3" chamber — ideal for close quarters and home defense situations
- All metalwork is matte black to reduce glare

Blade white dot front sight



PROVEIL® BLACK REAPER[™]

The original Reaper Series® pattern utilizes proprietary technology to create a hyper-realistic, three-dimensional look of skulls and clouds.

REALTREE® XTRA® GREEN

An extra effective early season pattern that combines leaves, colors, open areas and extreme contrast in a 3D multidirectional design.

REALTREE[®] WATERFOWLER MAX-5®

A multiuse camo that combines cattails, reeds, cane and grasses to provide ideal concealment in flooded marshes, mud flats and fields.



WBY-X[™] PA-08[™] Black reaper[™] Tr

MSRP \$469

NEW FOR 2015 PA-08™ TURKEY

MSRP \$429

12 GAUGE

22" Barrel PA08XG1222PGM

- Green camo pattern on buttstock and forend
- 22" barrel with vent top rib
- Comes with removable choke tube (full)

- Weighs just 7 pounds





ALL PA-459" THREAT RESPONSE® SHOTGUNS feature a 13½" length of pull providing quick, snag-free target acquisition and is ideal for close quarter use, 181/2" barrel with removable choke tube, rear LPA ghost ring sight, matte black metalwork, and swivel studs.

PA-459™TR 8-SHOT



NEW FOR 2015 PA-459™ TR 8-SHOI

MSRP \$599 _____

12 GAUGE 18 ½" Barrel PA459HC1219PGM

▶ 922R compliant

Extended magazine tube increases shell capacity to 7+1 round capacity (2 3/4") or 6+1 capacity (3")

Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition

> NEW FOR 2015 PA-459 DIGITAL 8-SHOT

MSRP \$649 _____

18 1/2" Barrel PA459DHC1219PGM

12 GAUGE

Stock dipped in universal digital camo is ideal for close-range varmint shooting (turns the 459 into a dual-purpose shotgun)

Extended magazine tube increases shell capacity to 7+1 round capacity (2 ³/₄") or 6+1 capacity (3")

See Weatherby[®] products in action at WBY-TV.com

NEW FOR 2015 PA-459™ BLACK REAPER™ TR 8-SH01

MSRP \$649

- ▶ 922R compliant
- ► Stock dipped in Proveil[®] Reaper[™] Black pattern
- Extended magazine tube increases shell capacity to 7+1 round capacity (2 ¾") or 6+1 capacity (3")
- Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition

12 GAUGE

18 ½" Barrel PA459D1219PGM

- ► Stock dipped in universal digital camo is ideal for close-range varmint shooting (turns the 459 into a dual-purpose shotgun)
- ► 5+1 round capacity (2 ¾") or 4+1 capacity (3")

_____ 12 GAUGE 18 ½" Barrel PA4591219PGM 20 GAUGE 18 ½" Barrel PA4592019PGM

- ► 5+1 round capacity (2 ³/₄") or 4+1 capacity (3")
- Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition











PA-459™ DIGITAL TR MSRP \$569

PA-459™ TR MSRP \$499

WBY-X™ PA-459™ Black reaper™ tr

MSRP \$569 _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

- 12 GAUGE 18 ½" Barrel PA459S1219PGM
- 20 GAUGE
- 18 1/2" Barrel PA459S2019PGM
- ▶ Stock dipped in Proveil[®] Reaper[™] Black pattern
- Ergonomic buttstock with textured grip
- Tactical ghost ring rear sight and fiber optic front sight provides for fast target acquisition
- ▶ 5+1 round capacity (2 ¾") or 4+1 capacity (3")

NEW FOR 2015 PA-459 TURKEY MSRP \$599 _____

12 GAUGE

- 22" Barrel PA459XG1222PGM
- ► Fully dipped in Realtree[®] Xtra[®] Green camo
- ► Rubberized pistol grip for one hand control
- ► 22" vent rib barrel with fiber optic front sight
- ► Includes extended, fluted choke tube (XF)
- Picatinny receiver mount

PORTED CYLINDER CHOKE TUBE


The PA-459[™] features an 18.5" chrome-lined barrel with removable ported cylinder choke tube. Chrome lining extends the useful life of the barrel, where the ported cylinder choke tube delivers application-specific patterning (select models only).



ERGONOMIC PISTOL GRIP

The SA-459[™] features a special molded-in rubberized pistol grip with textured ribs. Ergonomically fit for most hands, you get a firm, positive and comfortable grip in all types of weather conditions.





WBY-TV.com

WEATHERBY*

WBY-TV.com is Weatherby's premiere online destination for outdoors and lifestyle video content. From hunts, product info, technical applications, outreach programs, Team Weatherby, behind-the-scenes extras, and highlights—everything that inspires the dreams of hunters and shooters—is right here.

Browse through our inspirational, educational and always entertaining videos—from the best in hunting and shooting, to the latest in the outdoor industry, and never before seen real-life stories.

WBY-TV.com is simply a platform to dream, explore, cultivate and bring to life the human element and spirit of our industry.





ACCURAT











* * TEAM WEATHERBY.

Team Weatherby[™] is a diverse group of respected professionals brought together by a common bond−a passion for hunting, shooting and the great outdoors.

The diversity of their professions allows them to reach and positively influence broad and uniquely different demographics. They are true ambassadors for the outdoor lifestyle we all love. Their status as public figures provides great awareness of ethical hunting, shooting, wildlife conservation and our constitutional right to bear arms.

We are incredibly proud they have chosen to represent Weatherby[®] and have become valued members of our family. Each of their roads to success began with a dream. We are inspired just knowing their dreams came true and hope you are too.

Be inspired - chase your dream!

Team Weatherby™ includes (left to right):

Brendon Clark	15-Year Professional Bull Rider (retired)
Chad Mendes	Top-Ranked MMA Featherweight Contender
Darryl Worley	Country Music Singer/Songwriter
Ed Weatherby	President and CEO
Bear Pascoe	World Champion Professional Football Player
Jessie Duff	World Champion Shooter
Luke Branquinho	5-Time PRCA World Champion Steer Wrestler
Willie Bloomquist	Professional Baseball Player

IPGRADE YOUR VANGUARD°

VANGUARD® GRIPTONITE® STOCK

Synthetic stock with raised comb Monte Carlo design and right side palm swell. Features special pistol grip and forend inserts for firm, nonslip grip. Available for magnum and standard action rifles. | \$139

VANGUARD® LIGHTWEIGHT MOUNTS Specially-designed lightweight Vanguard® mounts by Talley featuring

a unique one-piece design of 7000 Series billet alloy, are available for Weatherby® rifles in matte blue or silver. Rings: Matte 1" | Rings: Silver 1" | Rings: Matte 30mm

TALLEY-DESIGNED MOUNTING SYSTEM CNC-machined rings and bases in aircraft-grade aluminum or cold rolled steel. Available in fixed or quick detach models (levers sold separately), magnum or standard action. Base: magnum or standard | Rings: 1" or 30mm (low, medium or high)

VANGUARD[®] TRIGGER

Match quality, two-stage trigger is "creep free" for consistent let-off. Each trigger is hand-honed, factory-tuned and inspected for a clean, crisp break, improving shooter accuracy. Adjustable down to 2.5 lbs. Trigger housing is constructed of lightweight alloy. \$124 Blued | \$139 Stainless







BLACK WBY-X CAP

Flexit 210 cap with embroidered WBY-X[™] logo in white. Flat bill. Small – Medium fits 6 7/8 – 7 ¼ | \$25 Large – Extra Large fits 7 ¼ - 7 5/8 | \$25



FITTED FLYING W CAP

Grey twill. Small – Medium fits 6 7/8 – 7 ¼ | \$22 Large – Extra Large fits 7 ¼ - 7 5/8 | \$22 LADIES MILITARY CAP Black with embroidered logo. | \$20





POSTED 14" X 11"embossed tin

NOTHING SHOOTS FLA 9 1/2" x 14" | \$29

ENDURANCE TESTED 9 1/2" x 14" | \$29

NOTHING SHOOTS **FLATTER T-SHIRT** 100% cotton. Silk screened front and back. Short sleeve. S – XL | \$19 XXL | \$20



XXL | \$20



SHOW OFF YOUR WEATHERBY® PRIDE





sign \$29	70TH ANNIVERSARY 14" X 11" \$29
ATTER	60TH ANNIVERSARY

14" X 11" | \$29

COMBO PACK All five embossed tin signs | \$99

WEATHERBY FOUNDATION INTERNATIONAL

Weatherby Foundation International's mission is to educate youth and the non-hunting public on the beneficial role of ethical sport hunting and its contributions to wildlife conservation. The Foundation also sponsors the Weatherby Hunting and Conservation Award. First presented in 1956, the Weatherby Award annually recognizes an individual for outstanding support of wildlife conservation, lifetime hunting achievement, and dedication to the principles of ethical sport hunting. For more information on this non-profit, tax-exempt foundation, visit www.weatherbyfoundation.com.



Weatherby supports or is a member of organizations dedicated to the conservation and management of our wildlife and habitat resources. We are proud to aid the following organizations in their critical missions:

BOONE & CROCKET CLUB – www.boone-crocket.org CALIFORNIA WATERFOWL ASSOCIATION - www.calwaterfowl.org CALIFORNIA DEER ASSOCIATION - www.caldeer.org **DELTA WATERFOWL** – www.deltawaterfowl.org DUCKS UNLIMITED - www.ducks.org DUCKS UNLIMITED CANADA – www.ducks.ca HUNTING HERITAGE TRUST – www.huntingheritagetrust.org INTERNATIONAL HUNTER EDUCATION ASSOCIATION - www.ihea.com MULE DEER FOUNDATION – www.muledeer.org NATIONAL RIFLE ASSOCIATION – www.nra.org NATIONAL RIFLE ASSOCIATION/INSTITUTE FOR LEGISLATIVE ACTION – www.nraila.org NATIONAL WILD TURKEY FEDERATION – www.nwtf.org **PHEASANTS FOREVER** – www.pheasantsforever.org **QUAIL FOREVER** – www.quailforever.org QUALITY DEER MANAGEMENT ASSOCIATION - www.qdma.com **ROCKY MOUNTAIN ELK FOUNDATION – www.rmef.org** SAFARI CLUB INTERNATIONAL – www.safariclub.org WHITETAILS UNLIMITED - www.whitetailsunlimited.com

THE WEATHERBY COLLECTORS ASSOCIATION was formed with the purpose of "creating an association where many Weatherby® admirers could pool their knowledge and experience for the benefit of all..." Members receive a newsletter with buy-sell-swap opportunities and bid opportunities on limited-edition, commemorative firearms. For information, write P.O. 1217, Washington, MO 63090 (636) 239-0348; email: wcasecretary@aol.com.

LEARN THE HISTORY and lineage of your Weatherby® firearm, researched and authenticated through our company records. Each certificate is personally signed by Roy E. Weatherby, Jr. and Dean Rumbaugh, Company Historian. \$50 per serial number, (\$75 for Custom Rifles, \$100 for Special Edition or Commemorative rifles). Write to Company Historian, 1605 Commerce Way, Paso Robles, CA 93446 or visit www.weatherby.com

THE NATIONAL HIGH SCHOOL RODEO ASSOCIATION

is an international, non-profit organization dedicated to the development of sportsmanship, horsemanship and character in the youth of our country through the sport of rodeo. Weatherby is proud



helped generate more than \$1,500,000 in funds to support scholarships and leadership development programs. www.nhsra.com

				ARK \	/® 701	H ANN	-	NEW) Sary
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.257 Wby. Mag.	M70257WR40	\$5,900	RH 24"	7 3/4 lbs.	44 5/8"	3+1	24" #1	1-10"

-	-			-	MAR	K V® AC	CUM	ARK®
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.240 Wby. Mag.	AMS240WR40	\$2,100	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
.257 Wby. Mag.	AMM257WR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.270 Win.	AMS270NR40	\$2,100	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
.270 Wby. Mag.	AMM270WR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
7mm Rem. Mag.	AMM7MMRR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-9.5"
7mm Wby. Mag.	AMM7MMWR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.308 Win.	AMS308NR40	\$2,100	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-12"
.30-06 Sprg.	AMS306SR40	\$2,100	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
.300 Win. Mag.	AMM300NR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.300 Wby. Mag.	AMM300WR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.30-378 Wby. Mag.	AMM303WR8B	\$2,400	3 RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"
.338 Lapua Mag.	AMM338LR8B	\$2,400	3 RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-9.3"
.338-378 Wby. Mag.	AMM333WR8B	\$2,400	3 RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"
.340 Wby. Mag.	AMM340WR60	\$2,100	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.257 Wby. Mag.	AMM257WL60	\$2,200	LH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.300 Wby. Mag.	AMM300WL60	\$2,200	LH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.30-378 Wby. Mag.	AMM303WL8B	\$2,400	3 LH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4"

-	-			MA	RK V®	ACCU	MARK	(® RC
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.240 Wby. Mag.	ARS240WR40	\$2,400	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
.257 Wby. Mag.	ARM257WR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.270 Win.	ARS270NR40	\$2,400	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
.270 Wby. Mag.	ARM270WR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
7mm Rem. Mag.	ARM7MMRR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-9.5"
7mm Wby. Mag.	ARM7MMWR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.308 Win.	ARS308NR40	\$2,400	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-12"
.30-06 Sprg.	ARS306SR40	\$2,400	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
.300 Win. Mag.	ARM300NR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.300 Wby. Mag.	ARM300WR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
.30-378 Wby. Mag.	ARM303WR8B	\$2,700	3 RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"
.338 Lapua Mag.	ARM338LR8B	\$2,700	3 RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-9.3"
.338-378 Wby. Mag.	ARM333WR8B	\$2,700	3 RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"
.340 Wby. Mag.	ARM340WR60	\$2,400	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4"

-	3	-	-	-	MARK	V® FIE	ERM/	\RK ®
			Barreled		Overall	Mag.	Barrel Length/	Riflina
Caliber	Product Code	MSRP	Action	Weight ¹	Length	Capacity ²	Contour	(twist)
 .240 Wby. Mag.	FGS240WR40	\$1,500	RH 24"	6.25 lbs.	44"	5+1	24"#1	1-10"
.257 Wby. Mag.	FGM257WR60	\$1,500	RH 26"	8 lbs.	46 5/8"	3+1	26"#2	1-10"
.270 Win.	FGS270NR40	\$1,500	RH 24"	6.25 lbs.	44"	5+1	24"#1	1-10"
.270 Wby. Mag.	FGM270WR60	\$1,500	RH 26"	8 lbs.	46 5/8"	3+1	26"#2	1-10"
7mm Rem. Mag.	FGM7MMRR40	\$1,500	RH 24"	8 lbs.	44 5/8"	3+1	24"#2	1-9.5"
7mm Wby. Mag.	FGM7MMWR60	\$1,500	RH 26"	8 lbs.	46 5/8"	3+1	26"#2	1-10"
.30-06 Sprg.	FGS306SR40	\$1,500	RH 24"	6.25 lbs.	44"	5+1	24"#1	1-10"
.300 Win. Mag.	FGM300NR40	\$1,500	RH 24"	8 lbs.	44 5/8"	3+1	24"#2	1-10"
.300 Wby. Mag.	FGM300WR60	\$1,500	RH 26"	8 lbs.	46 5/8"	3+1	26"#2	1-10"
.30-378 Wby. Mag.	FGM303WR8B	\$1,800	3 RH 28"	8.5 lbs.	448 5/8"	2+1	28"#3	1-10"
.338-378 Wby. Mag.	FGM333WR8B	\$1,800	3 RH 28"	8.5 lbs.	448 5/8"	2+1	28"#3	1-10"
.340 Wby. Mag.	FGM340WR60	\$1,500	RH 26"	8 lbs.	46 5/8"	3+1	26"#2	1-10"
.375 H&H Mag.	FGM375HR40	\$1,500	RH 24"	8.5 lbs.	44 5/8"	3+1	24"#3	1-12"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4"

-	200	1		100		TDAL		
1	0	· · · ·			UL	IRA L.	IGHTWE	IGHI
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.240 Wby. Mag	UTS240WR40	\$2,100	RH 24"	5.75 lbs.	44"	5+1	24" #1 Mod.	1-10"
.257 Wby. Mag.	UTM257WR60	\$2,100	RH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
.270 Win.	UTS270NR20	\$2,100	RH 22"	5.75 lbs.	42"	5+1	22" #1 Mod.	1-10"
.270 Win.	UTS270NR40	\$2,100	RH 24"	5.75 lbs.	44"	5+1	24" #1 Mod.	1-10"
.270 Wby. Mag.	UTM270WR60	\$2,100	RH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
7mm Rem. Mag.	UTM7MMRR40	\$2,100	RH 24"	6.75 lbs.	44 5/8"	3+1	24" #2 Mod.	1-9.5"
7mm Wby. Mag.	UTM7MMWR60	\$2,100	RH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
.308 Win.	UTS308NR20	\$2,100	RH 22"	5.75 lbs.	42"	5+1	22" #1 Mod.	1-12"
.308 Win.	UTS308NR40	\$2,100	RH 24"	5.75 lbs.	44"	5+1	24" #1 Mod.	1-12"
.30-06 Sprg.	UTS306SR20	\$2,100	RH 22"	5.75 lbs.	42"	5+1	22" #1 Mod.	1-10"
.30-06 Sprg.	UTS306SR40	\$2,100	RH 24"	5.75 lbs.	44"	5+1	24" #1 Mod.	1-10"
.300 Win. Mag.	UTM300NR40	\$2,100	RH 24"	6.75 lbs.	44 5/8"	3+1	24" #2 Mod.	1-10"
.300 Wby. Mag.	UTM300WR8B	\$2,200	3 RH 28"	6.75 lbs.	448 5/8"	3+1	28" #2 Mod.	1-10"
.257 Wby. Mag.	UTM257WL60	\$2,200	LH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
.300 Wby. Mag.	UTM300WL8B	\$2,300	³ LH 28"	6.75 lbs.	448 5/8"	3+1	28" #2 Mod.	1-10"
LOP: 13 5/8" Drop a	t Comb: 3/4" Monte	e Carlo: 3,	/8" Drop a	t Heel: 1 1/	8"			

(.257 Wby. Mag., .270 Wby. Mag., 7mm Rem. Mag., 7mm Wby. Mag., .300 Win. Mag., .300 Wby. Mag.) LOP: 13 5/8" Drop at Comb: 1" Monte Carlo: 3/8" Drop at Heel: 1 1/2"

-		-	and the second second second second second second second second second second second second second second second	-	_	_	MAF	SK A
-	0				ULTR/	A LIGH	TWEIGH	IT RO
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.240 Wby. Mag.	URS240WR40	\$2,400	RH 24"	5.75 lbs.	42"	5+1	24" #1 Mod.	1-10"
.257 Wby. Mag.	URM257WR60	\$2,400	RH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
.270 Win.	URS270NR20	\$2,400	RH 22"	5.75 lbs.	42"	5+1	22" #1 Mod.	1-10"
.270 Wby. Mag.	URM270WR60	\$2,400	RH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
7mm Rem. Mag.	URM7MMRR40	\$2,400	RH 24"	6.75 lbs.	44 5/8"	3+1	24" #2 Mod.	1-9.5
7mm Wby. Mag.	URM7MMWR60	\$2,400	RH 26"	6.75 lbs.	46 5/8"	3+1	26" #2 Mod.	1-10"
.308 Win.	URS308NR20	\$2,400	RH 22"	5.75 lbs.	42"	5+1	22" #1 Mod.	1-12"
.30-06 Sprg.	URS306SR20	\$2,400	RH 22"	5.75 lbs.	42"	5+1	22" #1 Mod.	1-10"
.300 Win. Mag.	URM300NR40	\$2,400	RH 24"	6.75 lbs.	44 5/8"	3+1	24" #2 Mod.	1-10"
.300 Wby. Mag.	URM300WR8B	\$2,700	3 RH 28"	6.75 lbs.	448 5/8"	3+1	28" #2 Mod.	1-10"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

(.257 Wby. Mag., .270 Wby. Mag., 7mm Rem. Mag., 7mm Wby. Mag., .300 Win. Mag., .300 Wby. Mag.) LOP: 13 5/8" Drop at Comb: 1" Monte Carlo: 3/8" Drop at Heel: 1 1/2"

	1	1			MAR	(V® UL	TRAM	ARK
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist
.257 Wby. Mag.	UMM257WR60	\$3,200	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.300 Wby, Mag.	UMM300WR60	\$3.200	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"

LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 3/8" Drop at Heel: 1 3/8"

and the second	10					MARK	V® DE	LUX
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.240 Wby. Mag.	DXS240WR40	\$2,400	RH 24"	6.75 lbs.	44"	5+1	24" #1	1-10"
.257 Wby. Mag.	DXM257WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.270 Win.	DXS270NR40	\$2,400	RH 24"	6.75 lbs.	44"	5+1	24" #1	1-10"
.270 Wby. Mag.	DXM270WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
7mm Wby. Mag.	DXM7MMWR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-9.5"
.308 Win.	DXS308NR40	\$2,400	RH 24"	6.75 lbs.	44"	5+1	24" #1	1-12"
.30-06 Sprg.	DXS306SR40	\$2,400	RH 24"	6.75 lbs.	44"	5+1	24" #1	1-10"
.300 Wby. Mag.	DXM300WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.340 Wby. Mag.	DXM340WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.378 Wby. Mag.	DXM378WR8B	\$2,800	3RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-12"
.416 Wby. Mag.	DXM416WR8B	\$2,800	3RH 28"	9 lbs.	448 5/8"	2+1	428" #3	1-14"
.460 Wby, Mag.	DXM460WR8B	\$3,300	3RH 28"	10 lbs.	448 3/4"	2+1	428" #4	1-16"

-	10		0		MARI	k V® LA	ZERM	ARK
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.257 Wby. Mag.	LMM257WR60	\$2,600	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.270 Wby. Mag.	LMM270WR60	\$2,600	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
7mm Wby. Mag.	LMM7MMWR60	\$2,600	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.300 Wby. Mag.	LMM300WR60	\$2,600	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.340 Wby. Mag.	LMM340WR60	\$2,600	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
.OP: 13 5/8" Drop :	at Comb: 7/8" Mor	nte Carlo:	: 3/8" Drop	at Heel: 1	3/8"			

The second second

MARK V[®] SPORTER Barrel Mag. Length/ Rifling MSRP Action Weight¹ Length Capacity² Contour (twist) Product Code 257 Wby. Mag. SPM257WR60 \$1,600 RH 26" 8 lbs. 46 5/8" 3+1 26" #2 1-10" 270 Wby. Mag. SPM270WR60 \$1,600 RH 26" 8 lbs. 46 5/8" 3+1 26" #2 1-10" 7mm Rem. Mag. SPM7MMRR40 \$1,600 RH 24" 8 lbs. 44 5/8" 3+1 24" #2 1-9.5" 7mm Wby. Mag. SPM7MMWR60 \$1,600 RH 26" 8 lbs. 46 5/8" 3+1 26" #2 1-10" .300 Win. Mag. SPM300NR40 \$1,600 RH 24" 8 lbs. 44 5/8" 3+1 24" #2 1-10" .300 Wby. Mag. SPM300WR60 \$1,600 RH 26" 8 lbs. 46 5/8" 3+1 26" #2 1-10" .340 Wby. Mag. SPM340WR60 \$1,600 RH 26" 8 lbs. 46 5/8" 3+1 26" #2 1-10"

LOP: 13 5/8" Drop at Comb: 1" Monte Carlo: 1/2" Drop at Heel: 1 5/8"

-	10				MAR	K V® El	JROM	AR
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Ri (tv
.257 Wby. Mag.	EMM257WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-
.270 Wby. Mag.	EMM270WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-
7mm Rem. Mag.	EMM7MMRR40	\$2,400	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-
7mm Wby. Mag.	EMM7MMWR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1.
.300 Win. Mag.	EMM300NR40	\$2,400	RH 24"	8 lbs.	44 5/8"	3+1	24" #2	1-
.300 Wby. Mag.	EMM300WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-
.340 Wby. Mag.	EMM340WR60	\$2,400	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-
.375 H&H Mag.	EMM375HR40	\$2,400	RH 24"	9 lbs.	44 5/8"	3+1	24" #3	1-

(NEW)

MARK V[®] CUSTOM

MARK V[®] OUTFITTER[®] RC Barrel

Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Length/ Contour	Rifling (twist)
.240 Wby. Mag.	OFS240WR40	\$2,800	RH 24"	5.5 lbs.	44"	5+1	24"#1 Mod.	1-10"
.257 Wby. Mag.	0FM257WR60	\$2,800	RH 26"	6.75 lbs.	46 5/8"	3+1	26"#2 Mod.	1-10"
.270 Win.	OFS270NR20	\$2,800	RH 22"	5.5 lbs.	42"	5+1	22"#1 Mod.	1-10"
.270 Wby. Mag.	0FM270WR60	\$2,800	RH 26"	6.75 lbs.	46 5/8"	3+1	26"#2 Mod.	1-10"
7mm Rem. Mag.	OFM7MMRR40	\$2,800	RH 24"	6.75 lbs.	44 5/8"	3+1	24"#2 Mod.	1-9.5"
7mm Wby. Mag.	OFM7MMWR60	\$2,800	RH 26"	6.75 lbs.	46 5/8"	3+1	26"#2 Mod.	1-10"
.308 Win.	OFS308NR20	\$2,800	RH 22"	5.5 lbs.	42"	5+1	22"#1 Mod.	1-12"
.30-06 Sprg.	OFS306SR20	\$2,800	RH 22"	5.5 lbs.	42"	5+1	22"#1 Mod.	1-10"
.300 Win. Mag.	OFM300NR40	\$2,800	RH 24"	6.75 lbs.	44 5/8"	3+1	24"#2 Mod.	1-10"
.300 Wby. Mag.	OFM300WR8B	\$3,000	³ RH 28"	6.75 lbs.	448 5/8"	3+1	28"#2 Mod.	1-10"

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"


(.257 Wby, Mag., .270 Wby, Mag., 7mm Rem. Mag., 7mm Wby, Mag., .300 Win, Mag., .300 Wby, Mag.) LOP: 13 5/8" Drop at Comb: 1" Monte Carlo: 3/8" Drop at Heel: 1 1/2"

See photos on pages 18-23 or visit weatherby.com

Product Code	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
ADM300WR60**	RH 26"	8.75 lbs.	46 5/8"	3+1	26" #3	1-10"
DGM375WR40**	RH 24"	8.75 lbs.	44 5/8"	3+1	24" #3	1-12"
RUM300WR60**	RH 26"	8 lbs.	46 5/8"	3+1	26" #2	1-10"
SFM416WR8B**	3 RH 28"	9 lbs.	448 1/2"	2+1	28" #3	1-14"
	ADM300WR60** DGM375WR40** RUM300WR60**	Product Code Action ADM300WR60** RH 26" DGM375WR40** RH 24" RUM300WR60** RH 26"	Product Code Action Weight1 ADM300WR60** RH 26* 8.75 lbs. DGM375WR40** RH 24* 8.75 lbs. RUM300WR60** RH 26* 8 lbs.	Product Code Action Weight Length ADM300WR60** RH 26* 8.75 lbs. 46 5/8* DGM375WR40** RH 24* 8.75 lbs. 44 5/8* RUM300WR60** RH 26* 8 lbs. 46 5/8*	Product Code Action Weight! Length Capacity2 ADM300WR60** RH 26* 8.75 lbs. 46 5/8* 3+1 DGM375WR40** RH 24* 8.75 lbs. 44 5/8* 3+1 RUM300WR60** RH 26* 8 lbs. 46 5/8* 3+1	Product Code Action Weight' Length Capacity2 Contour ADM300WR60** RH 26" 8.75 lbs. 46 5/8" 3+1 26" #3 DGM375WR40** RH 24" 8.75 lbs. 44 5/8" 3+1 24" #3 RUM300WR60** RH 26" 8 lbs. 46 5/8" 3+1 24" #3

(Mark V® Royal Ultramark Custom) LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 3/8" Drop at Heel: 1 3/8" (Mark V® Safari, Mark V DGR) LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4" (Mark V® Terramark™ RC) LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4" *Mark V[®] Custom rifles specifications vary based on caliber. **Not the only calibers available in this model.







Caliber 300 Win. Mag. .300 Wby. Mag. .30-378 Wby. Mag. TRS .338 Lapua .338-378 Wby. Mag. TRS

LOP: 13 1/4" - 14 3/4" Drop at Comb: Adjustable Drop at Heel: Adjustable



.300 Wby. Mag. TCM30 .30-378 Wby. Mag. TCM303 338 Lapua Mag. TCM33 .338-378 Wby. Mag. TCM33



ala	all in	-						
	Sec. and			8		V	ANGU	ARD
All PROPERTY.	And Personality	-	A COLUMN TWO IS NOT	See.	SYNT	HETIC	PAC	KAGE
		_					Barrel	
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Length/ Contour	Rifling (twist)
.223 Rem.	VPG223RR40	\$999	RH 24"	8.25 lbs.	44"	5+1	24" #2	1-9"
.22-250 Rem.	VPG222RR40	\$999	RH 24"	8.25 lbs.	44"	5+1	24" #2	1-14"
.243 Win.	VPG243NR40	\$999	RH 24"	8.25 lbs.	44"	5+1	24" #2	1-10"
.240 Wby. Mag.	VPG240WR40	\$999	RH 24"	8.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.25-06 Rem.	VPG256RR40	\$999	RH 24"	8.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VPG257WR40	\$999	RH 24"	8.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 Win.	VPG270NR40	\$999	RH 24"	8.5 lbs.	44 1/2"	5+1	24" #2	1-10"
7mm-08 Rem.	VPG7M8RR40	\$999	RH 24"	8.25 lbs.	44"	5+1	24" #2	1-9.5"
7mm Rem. Mag.	VPG7MMRR40	\$999	RH 24"	8.5 lbs.	44 1/2"	3+1	24" #2	1-9.5"
.308 Win.	VPG308NR40	\$999	RH 24"	8.25 lbs.	44"	5+1	24" #2	1-10"
.30-06 Sprg.	VPG306SR40	\$999	RH 24"	8.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.300 Win. Mag.	VPG300NR40	\$999	RH 24"	8.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 Wby. Mag.	VPG300WR40	\$999	RH 24"	8.5 lbs.	44 1/2"	3+1	24" #2	1-10"
OP: 13 5/8" Drop :	at Comb: 5/8" Mc	onte Carl	o: 3/8 Drop at He	eel: 1"				

P 10 3	7	T.T.N				•• (I	NEW)
7				MARK	V® AR	ROYO	™ RC
ct Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
40WR40	\$2,800	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
257WR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
70NR40	\$2,800	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
270WR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
7MMRR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-9.5"
7MMWR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
08NR40	\$2,800	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-12"
06SR40	\$2,800	RH 24"	7.25 lbs.	44"	5+1	24"#3	1-10"
300NR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
300WR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"
303WR8B	\$3,000	3RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"
338LR8B	\$3,000	3RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-9.3"
333WR8B	\$3,000	3RH 28"	9 lbs.	448 5/8"	2+1	28"#3	1-10"
340WR60	\$2,800	RH 26"	8.75 lbs.	46 5/8"	3+1	26"#3	1-10"

......

LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 3/4"

MARK V® TRR RC RANGE CERTIFIED (GUARANTEED SUB-MOA)

duct Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
SM300NR8B	\$4,200	3 RH 28"	9.25 lbs	448"	4+1	28" #3	1-10"
SM300WR8B	\$4,200	3 RH 28"	9.25 lbs	448"	4+1	28" #3	1-10"
SM303WR8B	\$4,200	3 RH 28"	9.25 lbs	448"	3+1	28" #3	1-10"
SM338LR8B	\$4,200	3 RH 28"	9.25 lbs	448"	3+1	28" #3	1-9.3"
SM333WR8B	\$4,200	3 RH 28"	9.25 lbs	448"	3+1	28" #3	1-10"
t Comb: Adjust	oblo Dra	n at Haal:	Adjustable				

						BILLO	
				-		RK V ®	IKK
-	_	-		Cl	JSTOM		NUM
ict Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
300NR60	\$2,800	RH 26"	9.25 lbs	46"	3+1	26" #3	1-10"
300WR60	\$2,800	RH 26"	9.25 lbs	46"	3+1	26" #3	1-10"
303WR8B	\$3,000	3 RH 28"	9.25 lbs	448"	2+1	28" #3	1-10"
338LR8B	\$3,000	3 RH 28"	9.25 lbs	448"	2+1	28" #3	1-9.3"
333WR8B	\$3,000	3 RH 28"	9.25 lbs	448"	2+1	28" #3	1-10"
+ Comb: Ad	liuatabla	Drop at Haa	I Adjustabl	0			

LOP: 13 1/4" - 14 3/4" Drop at Comb: Adjustable Drop at Heel: Adjustable

1	10	-	-	-			/ANGU Synth	
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist
.223 Rem.	VGT223RR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"
.22-250 Rem.	VGT222RR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-14
.243 Win.	VGT243NR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10
.240 Wby. Mag.	VGT240WR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10
.25-06 Rem.	VGT256RR40	\$649	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
.257 Wby. Mag.	VGT257WR40	\$649	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10
6.5 Creedmoor	VGT65CMR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-8"
.270 Win.	VGT270NR40	\$649	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
7mm-08 Rem.	VGT7M8RR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9.5
7mm Rem. Mag.	VGT7MMRR40	\$649	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-9.5
.308 Win.	VGT308NR40	\$649	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10
.30-06 Sprg.	VGT306SR40	\$649	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
.300 Win. Mag.	VGT300NR40	\$649	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10
.300 Wby. Mag.	VGT300WR40	\$649	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10
.375 H&H	VGT375HR40S	\$799	RH 24"	8 lbs.	44 1/2"	3+1	24" #2.5	1-12

					STAIN	LESS 9	SYNTH	ETIC	
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)	
.223 Rem.	VGS223RR40	\$799	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"	
.243 Win.	VGS243NR40	\$799	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"	
.257 Wby. Mag.	VGS257WR40	\$799	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"	
.270 Win.	VGS270NR40	\$799	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"	
7mm Rem. Mag.	VGS7MMRR40	\$799	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"	
.308 Win.	VGS308NR40	\$799	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"	
.30-06 Sprg.	VGS306SR40	\$799	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"	
.300 Win. Mag.	VGS300NR40	\$799	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"	
.300 Wby. Mag.	VGS300WR40	\$799	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"	
LOP: 13 5/8" Drop a	LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1"								

VANGUARD®

	-	-	-	-	VAN	GUARD	® CAR	BINE
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.223 Rem.	VCT223RR00	\$649	RH 20"	7 lbs.	40"	5+1	20" #1	1-9"
.22-250 Rem.	VCT222RR00	\$649	RH 20"	7 lbs.	40"	5+1	20" #1	1-14"
.243 Win.	VCT243NR00	\$649	RH 20"	7 lbs.	40"	5+1	20" #1	1-10"
7mm-08 Rem.	VCT7M8RR00	\$649	RH 20"	7 lbs.	40"	5+1	20" #1	1-9.5"
.308 Win.	VCT308NR00	\$649	RH 20"	7 lbs.	40"	5+1	20" #1	1-10"

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1 1/4"

-	1	-	-	-	-		ANGU K COU Barrel	
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Length/ Contour	Rifling (twist)
.240 Wby. Mag.	VBK240WR40	\$1,429	RH 24"	6.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.257 Wby. Mag.	VBK257WR40	\$1,429	RH 24"	6.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 Win.	VBK270NR40	\$1,429	RH 24"	6.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.308 Win.	VBK308NR40	\$1,429	RH 24"	6.5 lbs.	44"	5+1	24" #2	1-10"
.30-06 Sprg.	VBK306SR40	\$1,429	RH 24"	6.75 lbs.	44 1/2"	5+1	24" #2	1-10"
.300 Win. Mag.	VBK300NR40	\$1,429	RH 24"	6.75 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 Wby. Mag.	VBK300WR40	\$1,429	RH 24"	6.75 lbs.	44 1/2"	3+1	24" #2	1-10"

LOP: 13 5/8" Drop at Comb: 7/8" Monte Carlo: 1/2" Drop at Heel: 1 1/4"

1	1	-	-	-		SYNTH	/ANGU ETIC	
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifli (twi
.25-06 Rem.	VAS256RR40	\$749	RH 24"	7.25 lbs.	44 1/2"	3+1	24" #2	1-1
.270 Win.	VAS270NR40	\$749	RH 24"	7.25 lbs.	44 1/2"	3+1	24" #2	1-1
.30-06 Sprg.	VAS306SR40	\$749	RH 24"	7.25 lbs.	44 1/2"	3+1	24" #2	1-1

VANGUARD VARMINT SPECIAL Barrel Length/ Rifling Mag. Product Code MSRP Action Weight¹ Length Capacity² Contour (twist) VBT223RR20 \$849 RH 22" 8.25 lbs. 42" 5+1 22" #3 1-9" 223 Rem .22-250 Rem. VBT222RR20 \$849 RH 22" 8.25 lbs. 42" 5+1 22" #3 1-14" .308 Win. VBT308NR20 \$849 RH 22" 8.25 lbs. 42" 5+1 22" #3 1-10" LOP: 13 5/8" Drop at Comb: 3/4" Monte Carlo: 5/8" Drop at Heel: 1 1/2"

SYNTHETIC COMPACT Barrel Overall Mag. Length/ Rifling Calibe Product Code MSRP Action Weight¹ Length Capacity² Contour (twist) 223 Rem. VYT223RR00 \$599 RH 20" 6.75 lbs. 39"-40" 5+1 20" #1 1-9" .22-250 Rem. VYT222RR00 \$599 RH 20" 6.75 lbs. 39"-40" 5+1 20" #1 1-14" .243 Win. VYT243NR00 \$599 RH 20" 6.75 lbs. 39"-40" 5+1 20" #1 1-10" 7mm-08 Rem. VYT7M8RR00 \$599 RH 20" 6.75 lbs. 39"-40" 5+1 20" #1 1-9.5" .308 Win. VYT308NR00 \$599 RH 20" 6.75 lbs. 39"-40" 5+1 20" #1 1-10"

LOP: 12 1/2" - 13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

-	1			-	VA	NGUAR	D® DE	LUXE
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.257 Wby. Mag.	VGX257WR40	\$1,149	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 Win.	VGX270NR40	\$1,149	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.30-06 Sprg.	VGX306SR40	\$1,149	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.300 Win. Mag.	VGX300NR40	\$1,149	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
.300 Wby. Mag.	VGX300WR40	\$1,149	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1"

A COLOR	-	-	-	-	VAN	GUARE	I [®] SPO	RTE
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Riflin (twist
.223 Rem.	VDT223RR40	\$849	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"
.22-250 Rem.	VDT222RR40	\$849	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-14
.243 Win.	VDT243NR40	\$849	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10
.240 Wby. Mag.	VDT240WR40	\$849	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
.25-06 Rem.	VDT256RR40	\$849	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
.257 Wby. Mag.	VDT257WR40	\$849	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10
.270 Win.	VDT270NR40	\$849	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
7mm-08 Rem.	VDT7M8RR40	\$849	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9.5
7mm Rem. Mag.	VDT7MMRR40	\$849	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-9.5
.308 Win.	VDT308NR40	\$849	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10
.30-06 Sprg.	VDT306SR40	\$849	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10
.300 Win. Mag.	VDT300NR40	\$849	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10
.300 Wby. Mag.	VDT300WR40	\$849	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10
.338 Win. Mag.	VDT338NR40	\$849	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10

Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are drilled and tapped for scope mounts. Specifications subject to change without notice. Price may vary by model and dealer. "Weight approximate. Varies due to stock density and bore diameter. "Magazine capacity plus one round in chamber. "Available with Weatherby Accubrake" only. "Measurement includes Accubrake".

a line is	-		-	-	-		ANGU	
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.25-06 Rem.	VAW256RR40	\$929	RH 24"	7.25 lbs.	44 1/2"	3+1	24" #2	1-10"
.270 Win.	VAW270NR40	\$929	RH 24"	7.25 lbs.	44 1/2"	3+1	24" #2	1-10"
.30-06 Sprg.	VAW306SR40	\$929	RH 24"	7.25 lbs.	44 1/2"	3+1	24" #2	1-10"

MAG	-	5	-	-		ARD® S	WE	NEW] 3Y-X [™] DGA [™]
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.223 Rem.	VGF223RR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"
.243 Win.	VGF243NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VGF270NR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.308 Win.	VGF308NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
.30-06 Spra.	VGF306SR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1"

		-	_				VV	DI-Y				
- AND TOP	1000	10	All stores	S. B.Y.	-	-	VANGL	JARD ®				
State of the state	10					WHIT	ETAIL E	BONZ®				
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)				
.243 Win.	VBE243NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"				
.240 Wby.	VBE240WR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"				
.257 Wby. Mag.	VBE257WR40	\$749	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"				
.270 Win.	VBE270NR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"				
.308 Win.	VBE308NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"				
.30-06 Sprg.	VBE306SR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"				
.300 Win. Mag.	VBE300NR40	\$749	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"				
.300 Wby. Mag.	VBE300WR40	\$749	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"				
LOP: 13 5/8" Drop a	at Comb: 5/8" Mo	onte Carl	LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/8" Drop at Heel: 1"									

	V U	-	Amer	WHI		- /BY-X™ L BONZ		
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.223 Rem.	VYE223RR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-9"
.22-250 Rem.	VYE222RR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-14"
.243 Win.	VYE243NR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-10"
7mm-08 Rem.	VYE7M8RR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-9.5"
.308 Win.	VYE308NR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-10"

LOP: 12 1/2"-13 5/8"	Drop at Comb: 3/4"	Monte Carlo: 3/8"	Drop at Heel: 1 1/8"
----------------------	--------------------	-------------------	----------------------

(F. S Chi	1 de la	24	V	vBY-X™	VANG	UARD®	-	NEW) TEK®
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.223 Rem.	VXK223RR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"
.243 Win.	VXK243NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
.270 Win.	VXK270NR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
.308 Win.	VXK308NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
.30-06 Sprg.	VXK306SR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
LOP: 13 5/8" Drop a	at Comb: 5/8" Mor	ite Carlo: 3	3/8" Drop a	at Heel: 1"				

Weatherby, Inc. reserves the right to make changes in design, materials, specifications and prices or to make product changes as deemed necessary without prior notice. Every effort has been made to avoid printing errors in this catalog. However, if there are any specification or application errors, we must disclaim responsibility. Weatherby®, Mark V®, Mark XXII®, Vanguard®, Accumark®, Fibermark®, Lazermark®, Athena®, Orion®, VarmintMaster®, and Outfitter® are registered trademarks of Weatherby, Inc. PA-08[™], SA-08[™], PA-459[™], SA-459[™], Eurosport[™], Euromark[™], CFP[™], Strutter[™], Ultramark[™], Accubrake[™], Volt[™], Saratoga[™], Terramark[™], Arroyo[™], Deluxe[™], WBY-X[™], and Team Weatherby[™] are trademarks of Weatherby, Inc. All other trademarks are the property of their respective owners.

230				VA	NGUA	RD® KF	RYPTE	K® 1
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifli (twi
.223 Rem.	VXH223RR20	\$749	RH 22"	8.25 lbs.	42"	5+1	22" #3	1-9
.308 Win.	VXH308NR20	\$749	RH 22"	8.25 lbs.	42"	5+1	22" #3	1-1

10	-	-	-	V	-	-	
Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
VLT223RR00	\$749	RH 20"	6.75 lbs.	39"- 40"	5+1	20" #1	1-9"
VLT222RR00	\$749	RH 20"	6.75 lbs.	39"- 40"	5+1	20" #1	1-14"
VVLT243NR00	\$749	RH 20"	6.75 lbs.	39"- 40"	5+1	20" #1	1-10"
VLT7M8RR00	\$749	RH 20"	6.75 lbs.	39"- 40"	5+1	20" #1	1-9.5'
VLT308NR00	\$749	RH 20"	6.75 lbs.	39"- 40"	5+1	20" #1	1-10"
	VLT223RR00 VLT222RR00 VVLT243NR00 VLT7M8RR00	VLT223RR00 \$749 VLT222RR00 \$749 VVLT243NR00 \$749 VLT7M8RR00 \$749	Product Code MSRP Action VLT223RR00 \$749 RH 20* VLT222RR00 \$749 RH 20* VVLT243NR00 \$749 RH 20* VLT7M8RR00 \$749 RH 20*	Product Code MSRP Action Weight ¹ VLT223RR00 \$749 RH 20° 6.75 lbs. VLT222RR00 \$749 RH 20° 6.75 lbs. VVLT243NR00 \$749 RH 20° 6.75 lbs. VLT7M8RR00 \$749 RH 20° 6.75 lbs.	Product Code MSRP Barreled Action Weight Overall Length VLT223RR00 \$749 RH 20° 6.75 lbs. 39°-40° VLT222RR00 \$749 RH 20° 6.75 lbs. 39°-40° VLT223RR00 \$749 RH 20° 6.75 lbs. 39°-40° VLT243RR00 \$749 RH 20° 6.75 lbs. 39°-40° VLT7M8RR00 \$749 RH 20° 6.75 lbs. 39°-40°	Product Code MSRP Barreled Action Weight ¹ Overall Length Mag. Capacity ² VLT223RR00 \$749 RH 20° 6.75 lbs. 39°.40° 5+1 VLT222RR00 \$749 RH 20° 6.75 lbs. 39°.40° 5+1 VLT222RR00 \$749 RH 20° 6.75 lbs. 39°.40° 5+1 VLT243NR00 \$749 RH 20° 6.75 lbs. 39°.40° 5+1 VLT7MBRR00 \$749 RH 20° 6.75 lbs. 39°.40° 5+1	Product Code MSRP Barreled Action Weight ¹ Overall Length Mag. Capacity ² Length/ Contour VLT223RR00 \$749 RH 20* 6.75 lbs. 39'-40' 5+1 20' #1 VLT222RR00 \$749 RH 20* 6.75 lbs. 39'-40' 5+1 20' #1 VLT243NR00 \$749 RH 20* 6.75 lbs. 39'-40* 5+1 20' #1 VLT243NR00 \$749 RH 20* 6.75 lbs. 39'-40* 5+1 20' #1 VLT7MBRR00 \$749 RH 20* 6.75 lbs. 39'-40* 5+1 20' #1

LOP: 12 1/2"-13 5/8" Drop at Comb: 3/4" Monte Carlo: 3/8" Drop at Heel: 1 1/8"

NGL	BY-X™ IARD® BONZ®	W. M	-	NIA	5.17.524	W	BY-X™ \	/ANGUA	RD® BL	.AZE™
arrel ngth/ ntour	Rifling (twist)	Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
#2	1-10"	.223 Rem.	VBZ223RR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"
#2	1-10"	.243 Win.	VBZ243NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
#2	1-10"	.270 Win.	VBZ270NR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
#2	1-10"	.308 Win.	VBZ308NR40	\$749	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
#2	1-10"	.30-06 Sprg.	VBZ306SR40	\$749	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
#2	1-10"	LOP: 13 5/8" Dro						011	21 //2	1.10
#2	1-10"	LUP: 13 5/8 DIG	ip at comp. 5/8	wonte ca	110. 3/8 DI	op at neer: T				
" #2	1-10"									

	0		-			NBY-X™ 3H2 (GI		
Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
.223 Rem.	VYP223RR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-9"
.22-250 Rem.	VYP222RR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-14"
.243 Win.	VYP243NR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-10"
7mm-08 Rem.	VYP7M8RR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-9.5"
.308 Win.	VYP308NR00	\$749	RH 20"	6.75 lbs.	39"	5+1	20" #1	1-10"
LOP: 12 1/2" - 13 5	5/8" Drop at Comb	: 3/4" Mo	onte Carlo: 3	3/8" Drop at	Heel: 1 1/	В"		

		-	-	_	_	_			
)	-		-	-			VAN	GUAR)® RC
	Caliber	Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
	.223 Rem.	VMT223RR40	\$1,199	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9"
	.22-250 Rem.	VMT222RR40	\$1,199	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-14"
	.243 Win.	VMT243NR40	\$1,199	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
	.240 Wby. Mag.	VMT240WR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
	.25-06 Rem.	VMT256RR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
	.257 Wby. Mag.	VMT257WR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
	.270 Win.	VMT270NR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
	7mm-08 Rem.	VMT7M8RR40	\$1,199	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-9.5"
	7mm Rem. Mag.	VMT7MMRR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-9.5"
	.308 Win.	VMT308NR40	\$1,199	RH 24"	7.25 lbs.	44"	5+1	24" #2	1-10"
	.30-06 Sprg.	VMT306SR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	5+1	24" #2	1-10"
	.300 Win. Mag.	VMT300NR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
	.300 Wby. Mag.	VMT300WR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"
	.338 Win. Mag.	VMT338NR40	\$1,199	RH 24"	7.5 lbs.	44 1/2"	3+1	24" #2	1-10"

LOP: 13 5/8" Drop at Comb: 5/8" Monte Carlo: 3/4" Drop at Heel: 1"

15		-	-	-			
Product Code	MSRP	Barreled Action	Weight ¹	Overall Length	Mag. Capacity²	Barrel Length/ Contour	Rifling (twist)
VTS223RR20	\$1,199	RH 22"	8.75 lbs.	42"	5+1	22" #3	1-9"
VTS222RR20	\$1,199	RH 22"	8.75 lbs.	42"	5+1	22" #3	1-14"
VTS308NR20	\$1,199	RH 22"	8.75 lbs.	42"	5+1	22" #3	1-10"
	VTS223RR20 VTS222RR20	VTS223RR20 \$1,199 VTS222RR20 \$1,199	Product Code MSRP Action VTS223RR20 \$1,199 RH 22" VTS222RR20 \$1,199 RH 22"	Product Code MSRP Action Weight! VTS223RR20 \$1,199 RH 22" 8.75 lbs. VTS222RR20 \$1,199 RH 22" 8.75 lbs.	Product Code MSRP Action Weight! Length VTS223RR20 \$1,199 RH 22" 8.75 lbs. 42" VTS222RR20 \$1,199 RH 22" 8.75 lbs. 42"	Product Code MSRP Barreled Action Weight ¹ Overall Length Mag. Capacity ² VTS223RR20 \$1,199 RH 22" 8.75 lbs. 42" 5+1	Product Code MSRP Barreled Action Weight ¹ Overall Length Mag. Capacity ² Length/ Contour VTS223RR20 \$1,199 RH 22" 8.75 lbs. 42" 5+1 22" #3 VTS222RR20 \$1,199 RH 22" 8.75 lbs. 42" 5+1 22" #3

					NEW) ON® I
Ga./Chamber	Barrel Length & Prod	luct Code	MSRP	Overall Length	Weight ¹
12 Ga3"	26" OR11226RGG 28"	OR11228RGG	\$1,099	43 3/4"- 45 3/4"	7 lbs.
LOP: 14 5/8" Dr	op at Comb: 1 5/8" Drop at Heel:	2 3/8" Front Sight	: Brass Bead	MC Chokes: IC,M,F	

		E	LEMENT™ D	
Barrel Length	& Product Code	MSRP	Overall Length	Weight ¹
26" EDX1226PGG	28" EDX1228PGG	\$1,099	46 3/4"- 48 3/4"	6.75 lbs.
26" EDX2026PGG	28" EDX2028PGG	\$1,099	46 3/4"- 48 3/4"	6.25 lbs
26" EDX2826PGG	28" EDX2828PGG	\$1,149	46 3/4"- 48 3/4"	6 lbs.
	26" EDX1226PGG 26" EDX2026PGG	26" EDX2026PGG 28" EDX2028PGG	Barrel Length & Product Code MSRP 26* EDX1226PGG 28* EDX1228PGG \$1,099 26* EDX2026PGG 28* EDX2028PGG \$1,099	Barrel Length & Product Code MSRP Overall Length 26° EDX1226PGG 28° EDX1228PGG \$1,099 46 3/4° - 48 3/4° 26° EDX2026PGG 28° EDX2028PGG \$1,099 46 3/4° - 48 3/4°

Mag. Capacity²: 2 3/4" (3+1) / 3" (4+1) (NFW)

No. Con	24	6	Carlo and	35	-	WATE	RFOW	S	11274 4-08 112-5
Ga./Chamber		Barrel L	Length & Proc	luct Co	de	MSRP	Mag. Capacity ²	Overall Length	Weight
12 Ga.—3"	26"	SA08M51226F	PGM 28"	SA08	M51228PGM	\$799	5+1	46"- 48"	6.5 lbs
LOP: 14 5/8" D	rop at	Comb: 1 1/2" [Drop at Heel:	2 1/4"	Front Sight:	Brass Bead	IMC Choke	s: IC,M,F	

SA-08™ DELUXE Barrel Length & Product Code MSRP Ga./Chamber Length Weight¹
 12 Ga.-3*
 26*
 SA08D1226PGM
 28*
 SA08D1228PGM
 \$829
 46*-48*
 6.75 lbs.

 20 Ga.-3*
 26*
 SA08D2026PGM
 28*
 SA08D2028PGM
 \$829
 46*-48*
 6 lbs.
 28 Ga.-2 3/4" 26" SA08D2826PGM 28" SA08D2828PGM \$899 46"-48" 5.5 lbs. LOP: 14 5/8" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: Brass Bead IMC Chokes: IC,M,F Mag. Capacity²: 2 3/4" (5+1) / 3" (4+1)

-	-	and the second second			5A-08" Plane
Ga./Chamber	Barrel Length	& Product Code	MSRP	Overall Length	Weight ¹
12 Ga3"	26" SA08U1226PGM	28" SA08U1228PGM	\$799	46"- 48"	6.75 lbs.
20 Ga.—3"	26" SA08U2026PGM	28" SA08U2028PGM	\$799	46"- 48"	6 lbs.

MSRP	Overall Length	Weight ¹
		weigin
GM \$629	46"- 48"	7.25 lbs.
GM \$629	46"- 48"	6.5 lbs.
1	GM \$629	

Custom rifles are also available. Consult your Weatherby® dealer or the Weatherby Custom Shop for specifications. All rifles are drilled and tapped for scope mounts. Specifications subject to change without notice. Price may vary by model and dealer. ⁽¹⁾Weight approximate. Varies due to stock density and bore diameter. ⁽²⁾Magazine capacity plus one round in chamber. ⁽³⁾Available with Weatherby® Accubrake[™] only. ⁽⁴⁾Measurement includes Accubrake[™].







Ga /Chamber 20 Ga.-3"





Ga /Chamber 20 Ga.-3"

	10-	-	2	SA-	459™ TR
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga.−3"	18 1/2" SA459R1219PGM	\$699	5+1	39"	6.5 lbs.
20 Ga3"	18 1/2" SA459R2019PGM	\$699	5+1	39"	6 lbs.



LOP: 13 1/2" Front Sight: Fibe



	SYNTHE		SA-08™ OMPACT		
Barrel Length & Product Code	MSRP	Overall Length	Weight ¹		
24" SA08SY2024PGM	\$599	43"	5.75 lbs.		
1/2" Drop at Heel: 2 1/4" Front Sight: Bras 3" (4+1)	is Bead IMC C	Chokes: IC,M,F			

100				(NEW)	SA-459™ TURKEY
el	Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
	SA459XG1222PGM	\$799	5+1	44"	6.75 lbs.
	SA459XG2022PGM	\$799	5+1	44"	6.25 lbs.

LOP: 13 1/2" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: Fiber Optic IMC Chokes: XF

				(NEW)
A Stationed Day	-		WBY-X™	SA-08™
		KRYP	TEK™ CO	IMPACT
		Mag.	Overall	
rrel Length & Product Code	MSRP	Capacity ²	Length	Weight ¹
4" SA08KC2024PGM	\$799	5+1	43"	6.75 lbs.
				-

LOP: 12 1/2" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: Brass Bead IMC Chokes: IC,M,F

and the			WBY-X™ GIRLS I	
rel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight1
I" SA08GY2024PGM	\$729	5+1	43"	5.75 lbs.
1 1/2" Drop at Heel: 2 1/4"	Front Sight: B	rass Bead IMC	Chokes: IC,M,	.F
				6

				(NEW)
And Property of			WBY-X™	SA-08 ™
		V	/OLT™ CO	MPACT
el Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
SA08VC2024PGM	\$729	5+1	43"	5.75 lbs.
1.1/2" Drop at Hool: 2.1/4"	Front Cight: D	ross Road IM	Chokoo: IC M	c

LOP: 12 1/2" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: Brass Bead IMC Chokes: IC,M,F

LOP: 13 1/2" Front Sight: Fiber Optic, Rear Sight: Adjustable Ghost Ring Choke: Extended, Ported, Cylinder

-			N) SA-	459™ TR
	-	2	-	8-SHOT
arrel Length & Product Code	MSRP	Mag. Capacity ²	Overall Length	Weight ¹
1/2" SA459HC1219PGM	\$849	7+1	38 1/4"	6.5 lbs.
per Optic, Rear Sight: Adjustabl	e Ghost Ring	Choke: Cylinde	r	

,	-		-						PA-08™ UPLAND
Barrel	Length	& Pro	duct (ode		MSRP	Mag. Capacity²	Overall Length	Weight ¹
J1226F	PGM	28"	PAO8	U1228PGN	1	\$449	4+1	46"- 48"	7.25 lbs.
12026F	GM	28"	PAO8	U2028PGN	1	\$449	4+1	46"- 48"	6.5 lbs.
/2" Dr	op at H	eel: 2	1/4"	Front Sigh	t: Bra	ss Bead	IMC Chok	es: IC.M.F	

			UPLA		PA-08™ MPACT
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
20 Ga3"	22" PA08Y2022PGM	\$449	4+1	41"	5.75 lbs.
LOP: 12 1/2" D	rop at Comb: 1 1/2" Drop at Heel: 2 1/4" Fr	ont Sight: Bras	s Bead IMC Ch	nokes: IC,M,	

-					PA-08™ THETIC		
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹		
12 Ga3"	26" PA08S1226PGM 28" PA08S1228PG	VI \$399	4+1	46"- 48"	7.25 lbs.		
20 Ga3"	26" PA08S2026PGM 28" PA08S2028PG	VI \$399	4+1	46"- 48"	6.5 lbs.		
LOP: 14 1/8" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: Brass Bead IMC Chokes: IC,M,F							

-	-	(NEW) PA-08 SYNTHETIC COMPACT					
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹		
20 Ga3"	22" PA08SY2022PGM	\$399	4+1	41"	5.75 lbs.		
I OP: 12 1/2" Drop	at Comb: 1.1/2" Drop at Hool: 2.1/4" Er	ont Sight: Brog	Road IMC CH	okos: IC M I			

LOP: 12 1/2" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: Brass Bead IMC Chokes: IC,M,F

-	Contraction of the local division of the loc	-	UPLA	ND SL	PA-08™ UG GUN
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity ²	Overall Length	COMBO Weight ¹
12 Ga3"	24"/28" PA08UL1224PGM	\$629	4+1	44"- 48"	7 lbs.
LOP: 14 1/8" Drop	at Comb: 1 1/2" Drop at Heel: 2 1/4"				

Rifled Barrel with Cantilever Mount. Field Barrel with IMC Chokes (IC,M,F) and Brass Bead Front Sight

	-		SYN	THETI	PA-08™ C SLUG COMBO
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity ²	Overall Length	Weight ¹
12 Ga3"	24"/28" PA08SL1224PGM	\$549	4+1	44"- 48"	7 lbs.
LOP: 14" Drop	at Comb: 1 1/2" Drop at Heel: 2 1/4"				

Rifled Barrel with Cantilever Mount. Field Barrel with IMC Chokes (IC,M,F) and Brass Bead Front Sight

(Annual)				WATI	(N ERFOW		A-08™ AX-5®		
Ga./Chamber		Barrel Leng	th & Proc	luct Co	le	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga3"	26"	PA08M51226PGM	28"	PA08	M51228PGM	\$429	4+1	46"- 48"	7.25 lbs.
LOP: 14 1/8" Dr	rop at	Comb: 1 1/2" Drop	at Heel:	2 1/4"	Front Sight: I	Brass Bead	IMC Choke	s: IC,M,F	

				PA-	08™ TR
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity ²	Overall Length	Weight ¹
12 Ga3"	18 1/2" PA08TR1219PGM	\$399	4+1	39"	6.5 lbs.
20 Ga3"	18 1/2" PA08TR2019PGM	\$399	4+1	39"	6 lbs.

LOP: 14 1/8" Drop at Comb: 1 1/2" Drop at Heel: 2 1/4" Front Sight: White Dot Blade Choke: Fixed Cylinder

and a				' PA-08 ™ PER™ TF	
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga3"	18 1/2" PA08STR1219PGM	\$469	4+1	39"	6.5 lbs.
20 Ga3"	18 1/2" PA08STR2019PGM	\$469	4+1	39"	6 lbs.

) PA-08™ TURKEY
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity ²	Overall Length	Weight ¹
12 Ga3"	22" PA08XG1222PGM	\$429	4+1	42"	7 lbs.
LOP: 14 1/8" Drop	at Comb: 1 1/2" Drop at Heel: 2 1	/4" Front Sight:	Brass Bead IM	C Choke: F	

	The second	-	(NE	W) PA-	459™ TR 8-SHOT	
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹	
12 Ga.–3"	18 1/2" PA459HC1219PGM	\$599	7+1	38 1/4"	6.5 lbs.	
LOP: 13 1/2" Front Sight: Fiber Optic, Rear Sight: Adjustable Ghost Ring Choke: Cylinder						

1 Alexandre	The second second			PA-459™ 8-SHOT	
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga3"	18 1/2" PA459DHC1219PGM	\$649	7+1	38 1/4"	6.5 lbs.
LOP: 13 1/2" From	t Sight: Fiber Optic Bead, Rear Sight: Ad	justable Ghos	st Ring Choke: C	ylinder	

	- HIRAN - SO	4		BY-X™	(NEW) PA-459™
and the second	7	BL/	ACK REAP	ER™ TF	
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga.–3"	18 1/2" PA459SHC1219PGM	\$649	7+1	39"	6.5 lbs.
LOP: 13 1/2" From	nt Sight: Fiber Optic Rear Sight: Adjustab	le Ghost Ring	Choke: Cylinder		

PA-459 [™] DIGI						
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹	
12 Ga3"	18 1/2" PA459D1219PGM	\$569	5+1	39"	6.5 lbs.	
	t Sight: Green Fiber Optic Bead, Rear Sig	+				

	1	-	-	PA-	459™ TR
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga.–3"	18 1/2" PA4591219PGM	\$499	5+1	39"	6.5 lbs.
20 Ga3"	18 1/2" PA4592019PGM	\$499	5+1	39"	5.75 lbs.
LOP: 13 1/2" Fron	t Sight: Green Fiber Optic Bead, Rear Sig	ht: Adjustable G	Ghost Ring Choke	: Extended, P	orted, Cylinder

10010	WBY-X™ PA-459™ BLACK REAPER™ TR				
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga.–3"	18 1/2" PA459S1219PGM	\$569	5+1	39"	6.5 lbs.
20 Ga.–3"	18 1/2" PA459S2019PGM	\$569	5+1	39"	5.75 lbs.

LOP: 13 1/2" Front Sight: Red Fiber Optic Bead, Rear Sight: Adjustable Ghost Ring Choke: Extended, Ported, Cylinder

PA-459™ TURKEY					
Ga./Chamber	Barrel Length & Product Code	MSRP	Mag. Capacity²	Overall Length	Weight ¹
12 Ga3"	21 1/4" PA459T1222PGM	\$549	5+1	42"	6.75 lbs.
LOP: 13 1/2" From	nt Sight: Fiber Optic Front Choke: X-F				





JOIN US ON FACEBOOK

With over 160,000 followers, our Facebook page is a great place to stay connected and interact with other Weatherby enthusiasts. You'll find all types of Weatherby news, reviews, photos, video and promotional content. Join the conversation at: facebook.com/weatherbyinc

FOLLOW US ON TWITTER

Follow Weatherby and the individual members of Team Weatherby on Twitter: @weatherbyinc

CATCH US ON INSTAGRAM

You'll find all sorts of interesting behind the scenes Weatherby photos and comments on Instagram: @weatherbyinc

WATCH US ON WBY-TV.COM

Weatherby is always in motion on WBY-TV.com



BECOME PART OF WEATHERBY NATION

One of the first proprietary social networks in the industry, Weatherby Nation now boasts more than 85,000 members who share a passion for the shooting and hunting sports and all things Weatherby. It's FREE to join and there's no obligation. Sign up today at weatherbynation.com

WEATHERBY SERVICE CENTER

For any warranty and service needs, contact us at (800) 227-2023 or by FAX at (805) 237-0427. By mail, 1605 Commerce Way, Paso Robles, CA 93446 or visit www.weatherby.com